VOLUME 84 • AUTHOR INDEX

Abdul-Khaliq H *see* Rahman MYAE *et al*
Abrams D *et al*. Sildenafil as a selective pulmonary vasodilator in childhood primary pulmonary hypertension, **e4**
Achenbach S *et al*. Contrast enhanced electron beam computed tomography to analyse the coronary arteries in patients after acute myocardial infarction, **489**
Adamian M *see* di Mario C *et al*
Adams DH *see* Kadner A *et al*
Adams DH *et al*. Mycotic pseudoaneurysm of the ascending aorta following aortic valve replacement, **124**
Aggoun Y *et al*. Mechanical properties of the common carotid artery in Williams syndrome, **290**
Aitchison JD *et al*. Time dependent variability of QT dispersion after acute myocardial infarction and its relation to ventricular fibrillation: a prospective study, **504**
Aiyagari V *see* Deibert E *et al*
Akdemir I *see* Üstünsoy H *et al*
Akiyu J *see* Mahon NG *et al*
Albiero R *see* di Mario C *et al*
Aldea G *see* Oxorn D *et al*
Alexi-Meshkishvili V *see* Ewert P *et al*
Alexi-Meskishvili V *see* Rahman MYAE *et al*
Alfonso F *et al*. Multiple milking in hypertrophic cardiomyopathy, **503**
Allan LD *see* Johnson P *et al*
Allemann Y *see* Roffi M *et al*
Allen S *see* Roberts PR *et al*
Almería C *see* Alfonso F *et al*
Al-Mohammad A *see* Waiter GD *et al*
Alp NJ *et al*. Randomised double blind trial of oral versus intravenous flecainide for the cardioversion of acute atrial fibrillation, **37**
Alva F *see* Meaney E *et al*
Alva J *see* Meaney E *et al*
Ambrosio GB *see* Vescovo G *et al*
Anderson ME *see* Roden DM and Anderson ME
Anderson RH *see* Roberts PR *et al*
Anderson RH. Clinical anatomy of the aortic root: *Education*, **670**
Andersson B *et al*. Early changes in longitudinal performance predict future improvement in global left ventricular function during long term β adrenergic blockade, **599**
Angelini A *et al*. Myocarditis mimicking acute myocardial infarction: role of endomyocardial biopsy in the differential diagnosis, **245**
Anil-Kumar R *see* Furniss S *et al*
Antoniadis A *see* Kyriakides ZS *et al*
Arai M *see* Seta Y *et al*
Archbold RA *see* Sayer JW *et al*
Arendrup H *see* Mortensen OS *et al*
Arita M *see* Nishizaki M *et al*
Armitage J, Collins R. Need for large scale randomised evidence about lowering LDL cholesterol in people with diabetes mellitus: MRC/BHF heart protection study and other major trials: *editorial*, **357**
Armstrong PW. Left ventricular dysfunction: causes, natural history, and hopes for reversal, **i15**
Azeem T *et al*. Endomyocardial fibrosis associated with antiphospholipid syndrome, **156**

Baboonian C *see* Mahon NG *et al*
Baguet JP *see* Cracowski JL *et al*
Baker CSR *et al*. Prolapse of an atrial myxoma into the apex of the left ventricle, **437**
Baker E. Radionuclide investigation of congenital heart disease: *editorial*, **467**
Balcon R *see* Fluck DS *et al*
Bando K *see* Yamagishi M *et al*
Banning AP *see* Clarke NRA and Banning AP
see Clarke NRA *et al*
Bär FW *see* Ophuis AJO *et al*
Barakat K *see* Kennon S *et al*
Barker DJP *see* Roseboom TJ *et al*
Bartel T *see* von Birgelen C *et al*
Bashir Y *see* Ferguson JD *et al*
Batalla A, Segovia E. Mitral valve aneurysm, **534**
Baumgart D *see* von Birgelen C *et al*
Baxter GF *see* Cracowski JL *et al*
see Erem C *et al*
see Hojo Y *et al*
see Kee F *et al*
see Mahon NG *et al*
see Talwar S *et al*
see Yao L *et al*
Behulova R *see* Furniss S *et al*
Bein G *see* Leslie WS *et al*
Belhassen B *see* Viskin S *et al*
Bell JA *see* Alp NJ *et al*
Benítez E *see* Martínez-García T *et al*
Bennett DH. Comparison of the acute effects of pacing the atrial septum, right atrial appendage, coronary sinus os, and the latter two sites simultaneously on the duration of atrial activation, **193**
Benson L *see* Pedra CAC *et al*
Bergemann A *see* Skudicky D *et al*
Berger F *see* Ewert P *et al*
Bessard G *see* Cracowski JL *et al*
Betts T *see* Roberts PR *et al*
Birkhead JS. Responding to the requirements of the National Service Framework for coronary disease: a core data set for myocardial infarction: *editorial*, **116**
Bleker OP *see* Roseboom TJ *et al*
Boffa GM *see* Angelini A *et al*
Bofilis E *see* Kyriakides ZS *et al*
Bolk J, Reichert CLA. UPO: unidentified pericardial object, **415**
Bonnet D *see* Aggoun Y *et al*
Bonser RS *see* Neil DAH *et al*
Bonser RS *et al*. Clinical and patho-anatomical factors affecting expansion of thoracic aortic aneurysms, **277**
Boon NA *see* Toft AD and Boon NA
Bourke JP *see* Furniss S *et al*
Boutin C *see* Pedra CAC *et al*
Brecker SJ *see* Elliott PM *et al*
Brecker SJD. The importance of long axis ventricular function: *editorial*, **577**
Brennand-Roper D *see* Lloyd GW *et al*
Bridgewater B *see* Wynne-Jones K *et al*
Brilla CG. Renin-angiotensin system mediated mechanisms: cardioreparation and cardioprotection, **i18**
Brugada P. Brugada syndrome: an electrocardiographic diagnosis not to be missed: *editorial*, **1**
Brusselle S *see* Reybrouck T *et al*
Budts W *see* Fierens C *et al*
Burns R *see* Chareonthaitawee P *et al*
Bush A *see* Schulze-Neick I *et al*
Byrne TJ *see* Pershad A and Byrne TJ

Caidahl K *see* Andersson B *et al*
Calabrese F *see* Angelini A *et al*
Calzolari V *see* Angelini A *et al*
Cambien F *see* Kee F *et al*
Cambou J-P *see* Marques-Vidal P *et al*
Campbell PG *see* Sutton AGC *et al*
Campbell RWF *see* Aitchison JD *et al*
Candy G *see* Skudicky D *et al*
Capewell S, McMurray J. Coronary heart disease trends in France and elsewhere: *editorial*, **121**
Caputo G *see* di Somma S *et al*
Case C *see* Wahi S *et al*
Castro R *see* Alfonso F *et al*
Cazeau S *et al*. Multisite stimulation for correction of cardiac asynchrony: *editorial*, **579**
Ceconi C *see* Vescovo G *et al*
Cemri M *et al*. Pentacuspid aortic valve diagnosed by transoesophageal echocardiography, **e9**
Cengel A *see* Cemri M *et al*
Cerny A *see* Netzer RO-M *et al*
Chamberlain-Webber R *see* Petersen MEV *et al*
Channon KM *see* Ferguson JD *et al*
Chareonthaitawee P *et al*. The impact of time to thrombolytic treatment on outcome in patients with acute myocardial infarction, **142**
Chaturvedi N. Modulation of the renin-angiotensin system and retinopathy, **i29**
Chen RH *see* Adams DH *et al*
see Kadner A *et al*
Chenu P *see* Fluck DS *et al*
Chiang F-T *see* Yeih D-F *et al*
Chioin R *see* Angelini A *et al*
Christian TF *see* Chareonthaitawee P *et al*
Ciaramella F *see* di Somma S *et al*
Cieśliński A *see* Prech M *et al*
Clarke NRA, Banning AP. Mycotic aneurysm formation with dehiscence of a valved aortic conduit resulting in dynamic aortic obstruction, **271**
Clarke NRA *et al*. Surgical resection of an asymptomatic aortic valve papillary fibroelastoma in a young man, **578**
Cleland JGF. Improving patient outcomes in heart failure: evidence and barriers, **i8**
Clifford CP *see* Wilkins MR *et al*
Coats A *see* Zhou Q *et al*
Cobbe SM *see* Keeble W and Cobbe SM
Coccolo F *see* Mahon NG *et al*
Coisne D *see* Donal E *et al*
Colin C *see* Ecochard R *et al*
Collard CD *see* Kadner A *et al*

Collins R *see* Armitage J and Collins R
Colombo A *see* di Mario C *et al*
Coltart DJ *see* Obel O *et al*
Coonar AS *see* Mahon NG *et al*
Cooper AF *see* Lloyd GW *et al*
Cooper GJ *see* Modi P *et al*
Corbi P *see* Donal E *et al*
Coronel R *see* Sutton PMI *et al*
Coulden R *see* Farzaneh-Far A *et al*
Cowley AJ *see* Hetmanski DJ *et al*
Cozma LS *et al.* Secondary prevention of hypercholesterolaemia: results of an audit conducted in South Wales, **e3**
Cracowski JL *et al.* Increased formation of F_2-isoprostanes in patients with severe heart failure: *letter*, **439**
Crake T *see* Tousoulis D *et al*
Crea F *see* Gaspardone A *et al*
Crespo G *see* Perzanowski C *et al*
Crick S *see* Roberts PR *et al*
Cuda G *see* di Somma S *et al*
Cudemo G *see* di Somma S *et al*
Curtis S *see* Hetmanski DJ *et al*

Dahl JV *see* Haager PK *et al*
Dahlöf B *see* Willenheimer R *et al*
Dähnert I *see* Ewert P *et al*
Dallongeville J *see* Kee F *et al*
Daniel WG *see* Achenbach S *et al*
see Flachskampf FA and Daniel WG
Daubert J-C *see* Leclercq C and Daubert J-C
Davidson LA *see* Paniagua JR *et al*
Davies A *see* Fluck DS *et al*
see Sutton AGC *et al*
see Sutton AGC *et al*
Davies DW. Catheter ablation of ventricular tachycardia: are there limits?: *editorial*, **585**
Davies G *see* Tousoulis D *et al*
Davies JE *see* Talwar S *et al*
Davies MJ *see* Varnava AM *et al*
Davies MJ. Glagovian remodelling, plaque composition, and stenosis generation: *editorial*, **461**
Davies MK, Hollman A. Congresses, **234**
Congresses, **360**
Congresses, **576**
Hypertension, **2**
Institutions, **115**
Institutions, **462**
Davies P *see* Bonser RS *et al*
Deaner A *see* Baker CSR *et al*
de Backer G *see* de Bacquer D *et al*
de Bacquer D *et al.* Prevalences of ECG findings in large population based samples of men and women, **625**
de Belder MA *see* Sutton AGC *et al*
de Divitiis O *see* di Somma S *et al*
de Feyter PJ *et al.* Non-invasive coronary artery imaging with electron beam computed tomography and magnetic resonance imaging: *Education*, **442**
Defoor J *see* Reybrouck T *et al*
Deger O *see* Erem C *et al*
de Gevigney G *see* Ecochard R *et al*
Deibert E *et al.* Reversible left ventricular dysfunction associated with raised troponin I after subarachnoid haemorrhage does not preclude successful heart transplantation, **205**
Delacretaz E *see* Stevenson WG and Delacretaz E
Deleval M *see* van Doorn C *et al*
Denef B *see* Fierens C *et al*
Denvir M *see* Sutaria N *et al*
Derrick G *see* Leonard H *et al*
Derrick GP *see* Schulze-Neick I *et al*
de Vivo F *see* di Somma S *et al*
Dhillon R *see* Schulze-Neick I *et al*
di Benedetto MP *see* di Somma S *et al*
Dietz R *see* Gross CM *et al*
di Mario C *et al.* New recipes for in-stent restenosis: cut, grate, roast, or sandwich the neointima?: *review*, **471**
Diringer MN *see* Deibert E *et al*
di Somma S *et al.* Changes in myocardial cytoskeletal intermediate filaments and myocyte contractile dysfunction in dilated cardiomyopathy: an in vivo study in humans, **659**
Doevendans PA *see* Ophuis AJO *et al*
Donal E *et al.* A case report of aortic arch mobile thrombi , **614**
Donnellan C *see* Lye M and Donnellan C
Downie PF *see* Talwar S *et al*

Eberli FR *see* Roffi M *et al*
Ecochard R *et al.* Fair comparison of mortality data following cardiac surgery: *editorial*, **5**
Eldar M *see* Viskin S *et al*
Elliott M *see* van Doorn C *et al*
see van Doorn C *et al*
Elliott P. Diagnosis and management of dilated cardiomyopathy: *Education*, **106**
Elliott PM *see* Varnava AM *et al*
Erbel R *see* von Birgelen C *et al*
Erem C *et al.* Increased plasma lipoprotein (a) concentrations in Behcet's disease and its relation to vascular events: *letter*, **208**
Ernst G *see* Stöllberger C *et al*
Euler DE *see* Roberts PR *et al*
Eurenius I *see* Andersson B *et al*
Evans AE *see* Kee F *et al*
Ewert P *et al.* Morphology of perforated atrial septal aneurysm suitable for closure by transcatheter device placement, **327**
Eyskens B *see* Reybrouck T *et al*

Farzaneh-Far A *et al.* Coronary artery calcification, **30**
Fatio R *see* Linka AZ *et al*
Ferguson JD *et al.* Emergency DDD pacing using a single lead, balloon tip catheter, **210**
Fernández-Avilés F *see* Serrador A *et al*
Ferrari R *see* Vescovo G *et al*
Ferrières J *see* Marques-Vidal P *et al*
Finsterer J *see* Stöllberger C *et al*
Fish R *see* Viskin S *et al*
Fitzgerald PJ *see* Jeremias A *et al*
Flachskampf FA, Daniel WG. Role of transoesophageal echocardiography in infective endocarditis: *editorial*, **3**
Fluck DS *et al.* Is provisional stenting the effective option? The WIDEST study (Wiktor stent in de novo stenosis), **522**
Foran J *see* Waktare JEP and Foran J
Fox KAA. Acute coronary syndromes: presentation—clinical spectrum and management: *Education*, **93**
Freedom RM *see* Pedra CAC *et al*
Freihorst J *see* Peuster M *et al*
Friedman A *see* Wood JC *et al*
Fujikawa H *see* Hojo Y *et al*
Fujita M *see* Oya H *et al*
Fukazawa H *see* Hojo Y *et al*
Furniss S *et al.* Radiofrequency ablation of haemodynamically unstable ventricular tachycardia after myocardial infarction, **648**

Gall NP *et al.* Exercise induced supraventricular tachycardia?, **e11**
Gallivan S *see* Sherlaw-Johnson C *et al*
Galvez J *see* Martínez-García T *et al*
Garg A *et al.* Anomalous origin of the left coronary artery from the non-coronary sinus of Valsalva, **136**
Gaspardone A *et al.* Exercise induced myocardial ischaemia does not cause increase in C-reactive protein concentration: *letter*, **668**
Gatzoulis MA *et al.* Late arrhythmia in adults with the Mustard procedure for transposition of great arteries: a surrogate marker for right ventricular dysfunction?, **409**
Ge J *see* von Birgelen C *et al*
Gewillig M *see* Reybrouck T *et al*
Ghini AS *see* Gaspardone A *et al*
Gibbons RJ *see* Chareonthaitawee P *et al*
Gibbs JL *see* Veldtman GR *et al*
Gibbs JL. Treatment options for coarctation of the aorta: *editorial*, **11**
Gibson D *see* Zhou Q *et al*
Girón-González JA *see* Martínez-García T *et al*
Glick A *see* Viskin S *et al*
Gohlke-Bärwolf C. Anticoagulation in valvar heart disease: new aspects and management during non-cardiac surgery: *Education*, **567**
Gordon A *see* Willenheimer R *et al*
Gordon C *see* Petersen MEV *et al*
Goumas G *see* Tousoulis D *et al*
Grajek S *see* Prech M *et al*
Grande P *see* Mortensen OS *et al*
Gras D *see* Cazeau S *et al*
Gray D *see* Soo LH *et al*
Grech ED *see* Sutton AGC *et al*
see Sutton AGC *et al*
Gross CM *et al.* Clinical and angiographic outcome in patients with in-stent restenosis and repeat target lesion revascularisation in small coronary arteries, **307**
Grotte G *see* Wynne-Jones K *et al*
Guest P *see* Bonser RS *et al*
Gunn M *et al.* Significant association of cagA positive *Helicobacter pylori* strains with risk of premature myocardial infarction, **267**
Gutberlet M *see* Rahman MYAE *et al*

Haager PK *et al.* Long term angiographic and clinical follow up in patients with stent implantation for symptomatic myocardial bridging, **403**
Hadjinikolaou L *see* Thanopoulos BD *et al*
Haest RJ *see* Ophuis AJO *et al*
Hagège AA, Menasché P. Cellular cardiomyoplasty: a new hope in heart failure?: *editorial*, **465**
Haghfelt T *see* Mortensen OS *et al*
Hakim JG *et al.* Double blind randomised placebo controlled trial of adjunctive prednisolone in the treatment of effusive tuberculous pericarditis in HIV seropositive patients, **183**
Hall JA *see* Sutton AGC *et al*
see Sutton AGC *et al*
Haluska B *see* Wahi S *et al*
Hamm CW *see* Koschyk DH *et al*

Hampton JR *see* Soo LH *et al*
Hancox JC *et al.* Antiarrhythmics—from cell to clinic: past, present, and future: *review*, **14**
Hannson L. STOP-Hypertension-2 and best practice for the future, **i2**
Hanrath P *see* Haager PK *et al*
Harrison DA *see* Pedra CAC *et al*
Hase M *see* Sasao H *et al*
Hasenfuss G *see* Reiter H *et al*
Haude M *see* von Birgelen C *et al*
Haunsø S *see* Mortensen OS *et al*
Hausdorf G *see* Peuster M *et al*
see Peuster M *et al*
Haverich A *see* Pethig K *et al*
Heads A *see* Hunter S *et al*
Henein M *see* Zhou Q *et al*
Herity NA *see* Jeremias A *et al*
Herity NA. Interleukin 6: a message from the heart: *editorial*, **9**
Hetmanski DJ *et al.* Failure of plasma brain natriuretic peptide to identify left ventricular systolic dysfunction in the community: *letter*, **440**
Heublein B *see* Pethig K *et al*
Heusch G *see* Schulz R and Heusch G
Hewison J *see* Veldtman GR *et al*
Higham PD *see* Aitchison JD *et al*
Hildick-Smith DJR *et al.* Coronary flow reserve is supranormal in endurance athletes: an adenosine transthoracic echocardiographic study, **383**
Hiraishi S *et al.* Enlargement of cardiac rhabdomyoma and, **170**
Hirooka K *et al.* Visualisation of ablated septal myocardium using myocardial contrast echocardiography in hypertrophic obstructive cardiomyopathy, **382**
Visualisation of systolic myocardial perfusion defect induced by septal squeezing, **482**
Hjelms E *see* Mortensen OS *et al*
Hobbs FDR. Modern management of hypertension and heart failure: evidence and practice, **i35**
Hofmann R *et al.* Intravenous amiodarone bolus immediately controls heart rate in patients with atrial fibrillation accompanied by severe congestive heart failure: *letter*, **635**
Hojo Y *et al.* Decreased adrenomedullin production in the coronary circulation of patients with coronary artery disease: *letter*, **88**
Interleukin 6 expression in coronary circulation after coronary angioplasty as a risk factor for restenosis, **83**
Hollman A *see* Davies MK and Hollman A
Hooper J *see* Leslie WS *et al*
Horigome H *et al.* Life threatening coronary artery spasm in childhood Kimura's disease, **e5**
Hoshino Y *see* Suguta M *et al*
Houlston R *see* Mahon NG *et al*
Hourigan CT *et al.* Changing the site of delivery of thrombolytic treatment for acute myocardial infarction from the coronary care unit to the emergency department greatly reduces door to needle time, **157**
Huang SKS *see* Yeih D-F *et al*
Hunter S *et al.* Prenatal diagnosis of congenital heart disease in the northern region of England: benefits of a training programme for obstetric ultrasonographers, **294**
Hutton I *see* Keeble W *et al*

Igoumenidis NE *see* Kochiadakis GE *et al*
Ikeda U *see* Hojo Y *et al*
see Hojo Y *et al*
Immer FF *et al.* Visualising fatty deposits in familial arrhythmogenic right ventricular cardiomyopathy by magnetic resonance imaging, **52**
Irvine T *et al.* Three dimensional colour Doppler echocardiography for the characterisation and quantification of cardiac flow events, **ii2**
Isaka N *see* Okinaka T *et al*
Ito H *et al.* Coronary sinus ostial atresia with persistent left superior vena cava connected with atrial septal defect, **289**
Ito Y *see* Ito H *et al*
Iung B. Interface between valve disease and ischaemic heart disease: *Education*, **347**
Iwanami N *see* Hiraishi S *et al*
Izumi T *see* Niwano S *et al*

Jackson G *see* Lloyd GW *et al*
Jackson M *see* Wynne-Jones K *et al*
Jacobs IG *see* Hourigan CT *et al*
Janse MJ. Ischaemia, action potentials, and refractoriness: *editorial*, **363**
Janssen W *see* Ophuis AJO *et al*
Järvelin M-R. Fetal and infant markers of adult heart disease: *Education*, **219**
Jeffery S *see* Mahon NG *et al*
Jelinek GA *see* Hourigan CT *et al*
Jemielity M *see* Prech M *et al*
Jenni R *see* Meniconi A *et al*
see Ritter M *et al*
Jeremias A *et al.* Coronary artery compliance and adaptive vessel remodelling in patients with stable and unstable coronary artery disease, **314**
Johnson P *et al.* Intracardiac pressures in the human fetus, **59**
Johnson PJ *see* Hildick-Smith DJR *et al*
Jones JV *see* Hancox JC *et al*
Jordaens L *see* Theuns D *et al*
Jost CA *see* Linka AZ *et al*
Jost CHA *see* Meniconi A *et al*
Jowett C *see* Wilmshurst P *et al*

Kachaner J *see* Aggoun Y *et al*
Kadner A *see* Adams DH *et al*
Kadner A *et al.* Isolated left atrial tamponade following circumflex artery angioplasty, **514**
Kaleboubas MD *see* Kochiadakis GE *et al*
Kallis P *see* Sutton PMI *et al*
Kallok MJ *see* Roberts PR *et al*
Kalra PR *et al.* Mitral regurgitation secondary to ruptured papillary muscle, **13**
Kanakaraki MK *see* Parthenakis FI *et al*
Kanda T *see* Seta Y *et al*
Kangawa K *see* Nagaya N *et al*
Karsch KR, Newby AC. Stent magic! The genie has escaped from the bottle: *editorial*, **469**
Karvouni E *see* di Mario C *et al*
Katsuki T *see* Hojo Y *et al*
Katsuki T-A *see* Hojo Y *et al*
Kattenbeck K *see* Nabar A *et al*
Kaulitz R *see* Peuster M *et al*
Kavgaci H *see* Erem C *et al*
Kee F *et al.* Poiymorphisms of the P-selectin gene and risk of myocardial infarction in men and women in the ECTIM extension study, **548**
Keeble W, Cobbe SM. Pressure damping, a "billowing" septum, and an eerie silence: perioperative, intermittent obstruction of a mitral valve prosthesis, **e6**
Kelleher A *see* Schulze-Neick I *et al*
Kendall L *see* Veldtman GR *et al*
Kennon S *et al.* Influence of previous aspirin treatment and smoking on the electrocardiographic manifestations of injury in acute myocardial infarction, **41**
Kenny A. Echocardiography 2000: *editorial*, **ii1**
Kenny A *see* Irvine T *et al*
Keogh BE. Cardiac surgical mortality: the tip of the quality assurance iceberg: *editorial*, **7**
Kerr AR *see* Ruygrok PN *et al*
Kimman GJ *see* Theuns D *et al*
Kitano Y *see* Niwano S *et al*
Klauss V *see* Pethig K *et al*
Klinkhart W *see* von Birgelen C *et al*
Klues HG *see* Haager PK *et al*
Kochiadakis GE *et al.* Low dose amiodarone and sotalol in the treatment of recurrent, symptomatic atrial fibrillation:, **251**
Komajda M. Genetics of dilated cardiomyopathy: a molecular maze?: *editorial*, **463**
Komajda M, Wimart M-C. Angiotensin converting enzyme inhibition: from viper to patient, **i11**
Konstadopoulou GN *see* Thanopoulos BD *et al*
Kopf G *see* Wood JC *et al*
Kornitzer M *see* de Bacquer D *et al*
Koschyk DH *et al.* Colour coded blood flow imaging in intravascular ultrasound, **376**
Krämer J *see* Gross CM *et al*
Kremastinos DT *see* Kyriakides ZS *et al*
Kromhout D *see* Menotti A *et al*
Krum H *et al.* Baseline predictors of tolerability to carvedilol in patients with chronic heart failure, **615**
Kubler W. Treatment of cardiac diseases: evidence based or experience based medicine?, **134**
Kurabayashi M *see* Seta Y *et al*
Kurimoto M *see* Seta Y *et al*
Kurosaki K *see* Hojo Y *et al*
Kyotani S *see* Nagaya N *et al*
see Oya H *et al*
Kyriakides ZS *et al.* Endogenous endothelin maintains coronary artery tone by endothelin type A receptor stimulation in patients undergoing coronary arteriography, **176**

Lahiri A *see* Soman P *et al*
Lam Y-M *see* Tse H-F *et al*
Lange PE *see* Ewert P *et al*
see Rahman MYAE *et al*
Langton PE *see* Hourigan CT *et al*
Lanti M *see* Menotti A *et al*
Lascelles K *see* Gall NP *et al*
Layton CA *see* Fluck DS *et al*
Lazarus A *see* Cazeau S *et al*
Leclercq C, Daubert J-C. Why biventricular pacing might be of value in refractory heart failure?: *editorial*, **125**
Lee K-J *see* Pedra CAC *et al*
Legget ME *see* Ruygrok PN *et al*

Leisch F *see* Hofmann R *et al*
Lennon D *see* Irvine T *et al*
Leonard H *et al*. Natural and unnatural history of pulmonary atresia, **499**
Lesh MD *see* Viskin S *et al*
Leslie WS *et al*. Delay in calling for help during myocardial infarction: reasons for the delay and subsequent pattern of accessing care, **137**
Lever N *see* Ferguson JD *et al*
Levin GE *see* Mahon NG *et al*
Levy BI *see* Aggoun Y *et al*
Lewin RJP *see* Thompson DR and Lewin RJP
Lewis ME *see* Bonser RS *et al*
Li XN *see* Irvine T *et al*
Libera LD *see* Vescovo G *et al*
Linde C. Biventricular pacing in patients with severe heart failure: *editorial*, **123**
Linka AZ *et al*. Double orifice mitral valve, **244**
Liu P *see* Gatzoulis MA *et al*
Lloyd GW *et al*. Does angina vary with the menstrual cycle in women with premenopausal coronary artery disease?, **189**
Lorusso R *see* Vescovo G *et al*
Lovegrove J *see* Sherlaw-Johnson C *et al*
Low CJS *see* Williams MJA *et al*
Luscher TF. Endothelial dysfunction: the role and impact of the renin-angiotensin system, **i20**
Lye M, Donnellan C. Heart disease in the elderly: *Education*, **560**
Lyonnet S *see* Aggoun Y *et al*
Lyons JP *see* Waktare JEP and Lyons JP

MacCallum PK *see* Kennon S *et al*
McCrum E *see* Kee F *et al*
MacDonald P *see* Krum H *et al*
Macfarlane PW. Minnesota coding and the prevalence of ECG abnormalities: *editorial*, **582**
McGing E *see* Lloyd GW *et al*
McKenna WJ *see* Elliott PM *et al*
see Mahon NG *et al*
see Varnava AM *et al*
McLaughlin PR *see* Gatzoulis MA *et al*
see Pedra CAC *et al*
McLeod AA *see* Garg A *et al*
McMaster D *see* Kee F *et al*
McMurray J *see* Capewell S and McMurray J
McMurray J. AT_1 receptor antagonists—beyond blood pressure control: possible place in heart failure treatment, **i42**
Maddalena F *see* Angelini A *et al*
Madsen JK *see* Mortensen OS *et al*
Magee AG *see* Abrams D *et al*
Maggioni AP. Secondary prevention: improving outcomes following myocardial infarction, **i5**
Mahler F *see* Roffi M *et al*
Mahon NG *et al*. Haemochromatosis gene mutations in idiopathic dilated cardiomyopathy, **541**
Malin A *see* Hakim JG *et al*
Mallion JM *see* Cracowski JL *et al*
Marketou ME *see* Kochiadakis GE *et al*
Marotta M *see* di Somma S *et al*
Marpeau C *see* Cracowski JL *et al*
Marques-Vidal P *et al*. Incidence, recurrence, and case fatality rates for myocardial infarction in southwestern France, 1985 to 1993, **171**
Marshall AJ *see* Turner M *et al*
Marshall D, Sack MN. Apoptosis: a pivotal event or an epiphenomenon in the pathophysiology of heart failure?: *editorial*, **355**
Marsico F *see* di Mario C *et al*
Martínez-García T *et al*. Ventricular mass and diastolic function in patients infected by the human immunodeficiency virus, **620**
Martin W *see* Keeble W *et al*
Marwick TH *see* Wahi S *et al*
Masani N *see* Sutaria N *et al*
Matley SL *see* Veldtman GR *et al*
Matsuo H *see* Yao L *et al*
Maxwell DJ *see* Johnson P *et al*
Meaney A *see* Meaney E *et al*
Meaney E *et al*. Formula and nomogram for the sphygmomanometric calculation of the mean arterial pressure: *letter*, **64**
Meier B *see* Roffi M *et al*
Meijer A *see* Bracke FA *et al*
Meinertz T *see* Koschyk DH *et al*
Melkert R *see* Violaris AG *et al*
Menasché P *see* Hagège AA and Menasché P
Meniconi A *et al*. How to survive myocardial rupture after myocardial infarction, **552**
Menotti A *et al*. Coronary heart disease incidence in northern and southern European populations: a reanalysis of the seven countries study for a European coronary risk chart, **238**
Merchant N *see* Gatzoulis MA *et al*
Meredith P. ACE inhibition and AT_1 receptor blockers: efficacy and duration in hypertension, **i39**
Mertens L *see* Reybrouck T *et al*
Michels RPJ *see* Roseboom TJ *et al*
Mills P *see* Fluck DS *et al*
Mintz GS *see* von Birgelen C *et al*
Missouris CG *et al*. A young woman with chest pain, **e12**
Mitchell A *see* Smith HJ *et al*
Miyatake K *see* Hirooka K *et al*
see Nagaya N *et al*
see Oya H *et al*
Mizuno O *see* Hojo Y *et al*
Mizushige K *see* Yao L *et al*
Modi P *et al*. Descending thoracic aortic aneurysm in rheumatoid arthritis, **122**
Mogensen C-E. Diabetic nephropathy: evidence for renoprotection and practice, **i26**
Moguel R *see* Meaney E *et al*
Morgan JM *see* Kalra PR *et al*
see Roberts PR *et al*
Moriguchi M *see* Niwano S *et al*
Morrison C *see* Kee F *et al*
Morrison CE *see* Leslie WS *et al*
Mortensen OS *et al*. Health related quality of life after conservative or invasive treatment of inducible postinfarction ischaemia, **535**
Moshage W *see* Achenbach S *et al*
Mountain D *see* Hourigan CT *et al*
Mudra H *see* Pethig K *et al*
Mugica J *see* Cazeau S *et al*
Munsch CM *see* Paniagua JR *et al*
Murakami K *see* Yao L *et al*
Muschiol G *see* Achenbach S *et al*
Mushangi E *see* Hakim JG *et al*

Nabar A *et al*. Capture and fusion beats during atrial fibrillation and ventricular tachycardia, **e1**
Nagaya N *see* Oya H *et al*
Nagaya N *et al*. Haemodynamic and hormonal effects of adrenomedullin in patients with pulmonary hypertension, **653**
Naito S *see* Suguta M *et al*
Nakanishi N *see* Nagaya N *et al*
see Oya H *et al*
Nakano T *see* Okinaka T *et al*
Nakata T *see* Sasao H *et al*
Netzer RO-M *et al*. Infective endocarditis: clinical spectrum, presentation and outcome. An analysis of 212 cases 1980–1995, **25**
Newby AC *see* Karsch KR and Newby AC
Newby DE. Intracoronary infusions and the assessment of coronary blood flow in clinical studies: *editorial*, **118**
Ng LL *see* Talwar S *et al*
Nicaud V *see* Kee F *et al*
Nieman K *see* de Feyter PJ *et al*
Ninio D *see* Krum H *et al*
Nishikimi T *see* Nagaya N *et al*
Nishizaki M *et al*. Coronary artery spasm induced by carotid sinus massage, **e2**
Noble MIM. Beat to beat left ventricular performance in spontaneous atrial fibrillation does not depend on afterload: *letter*, **89**
Noma T *see* Yao L *et al*
Northridge D *see* Sutaria N *et al*
see Sutaria N *et al*
Northridge DB *see* Sutaria N *et al*
North West Regional Cardiac Surgery Audit Steering Group *see* Wynne-Jones K *et al*
Norton MY *see* Waiter GD *et al*
Nykanen DG *see* Pedra CAC *et al*

Oakley CM. Myocarditis, pericarditis and other pericardial diseases: *Education*, **449**
Obel O *et al*. Balloon pulmonary valvuloplasty in carcinoid syndrome, **e13**
Occleshaw CJ *see* Ruygrok PN *et al*
Oechslin E *see* Ritter M *et al*
Ogawa N *see* Hiraishi S *et al*
Ogilvie BC *see* Garg A *et al*
Ogunko A *see* Cozma LS *et al*
Ohmori K *see* Yao L *et al*
Ohri SK *see* Kalra PR *et al*
Ohtsuka S *see* Horigome H *et al*
Okinaka T *et al*. Coexistence of giant aneurysm of sinus of Valsalva and coronary artery aneurysm associated with idiopathic hypereosinophilic syndrome, **e7**
Oldroyd KG. Identifying failure to achieve complete (TIMI 3) reperfusion following thrombolytic treatment: how to do it, when to do it, and why it's worth doing: *editorial*, **113**
Ophuis AJO *et al*. Angiographic assessment of prospectively determined non-invasive reperfusion indices in acute myocardial infarction, **164**
Opthof T *see* Sutton PMI *et al*
Osmond C *see* Roseboom TJ *et al*
O'Sullivan J *see* Leonard H *et al*
Otto CM. Timing of aortic valve surgery: *Education*, **211**

Oudkerk M *see* de Feyter PJ *et al*
Oxorn D *et al*. Haemangioma of the interatrial septum, **493**
Oya H *see* Nagaya N *et al*
Oya H *et al*. Haemodynamic correlates and prognostic significance of serum uric acid in adult patients with Eisenmenger syndrome, **53**

Pagano D *see* Bonser RS *et al*
Pandian N *see* Sutaria N *et al*
Parsons JM *see* Veldtman GR *et al*
Parthenakis FI *et al*. Silent patent ductus arteriosus endarteritis, **619**
Pasquet A *see* Wahi S *et al*
Patel KCR *see* Hancox JC *et al*
Patel NR *see* Lloyd GW *et al*
Paul E *see* Fluck DS *et al*
Pedra CAC *et al*. Transcatheter closure of atrial septal defects using the Cardio-Seal implant, **320**
Pell JP. Does smoking cessation reduce the risk of restenosis following coronary angioplasty?: *editorial*, **233**
Penny DJ *see* Schulze-Neick I *et al*
Perino M *see* Gaspardone A *et al*
Pershad A, Byrne TJ. Saddle pulmonary embolism: diagnosis by spiral computed tomography, **10**
Perzanowski C *et al*. Familial ventricular tachycardia with mild ventricular dysfunction: a 15 year follow up of two African American brothers with arrhythmogenic right ventricular dysplasia, **658**
Petersen MEV *et al*. The normal response to prolonged passive head up tilt testing, **509**
Pethig K *et al*. Progression of cardiac allograft vascular disease as assessed by serial intravascular ultrasound: correlation to immunological and non-immunological risk factors, **494**
Peuster M *et al*. A novel method for transcatheter closure of atrial septal defect within an aneurysm of the fossa ovalis: double sheath technique, **e14**
Defective limb growth after retrograde balloon valvuloplasty, **63**
Pihkala J *see* Pedra CAC *et al*
Poirier O *see* Kee F *et al*
Pomerantsev E *see* Jeremias A *et al*
Preumont N *see* Unger P *et al*
Price DJA *see* Sutton AGC *et al*
see Sutton AGC *et al*
Price DJA *et al*. Tissue Doppler imaging: current and potential clinical applications, **ii11**
Proietti I *see* Gaspardone A *et al*
Puddu PE *see* Menotti A *et al*
Pugsley W *see* Sutton PMI *et al*
Pujol E *see* Martínez-Garcia T *et al*
Purchase A *see* Wilmshurst P *et al*

Quinn T *see* Wilmshurst P *et al*
Quirk J *see* Veldtman GR *et al*

Rahman MYAE *et al*. Relation between right ventricular enlargement, QRS duration, and right ventricular function in patients with tetralogy of Fallot and pulmonary regurgitation after surgical repair, **416**
Ranjadayalan K *see* Kennon S *et al*
see Sayer JW *et al*
Rathbone BJ *see* Gunn M *et al*
Ravelli ACJ *see* Roseboom TJ *et al*
Ray S *see* Sayer JW *et al*
Redpath TW *see* Waiter GD *et al*
Rees A *see* Cozma LS *et al*
Reffelmann T *see* Haager PK *et al*
Regar E *see* Violaris AG *et al*
Regenfus M *see* Achenbach S *et al*
Reichert CLA *see* Bolk J and Reichert CLA
Reiter H *et al*. Treatment of tachyarrhythmia induced syncopes by angioplasty of the right coronary artery, **298**
Reybrouck T *et al*. Oxygen uptake versus exercise intensity: a new concept in assessing cardiovascular exercise function in patients with congenital heart disease, **46**
Rigby ML *see* Schulze-Neick I *et al*
Rimmerman CM *see* Wahi S *et al*
Ring A *see* Missouris CG *et al*
Ritter M *et al*. Biventricular diverticula in a patient with restrictive cardiomyopathy, **333**
Ritter P *see* Cazeau S *et al*
Roberts PR *et al*. A multifilamented electrode in the middle cardiac vein reduces energy requirements for defibrillation in the pig, **425**
Roberts RS *see* Chareonthaitawee P *et al*
Robertson V *see* Hakim JG *et al*
Robinson B *see* Oxorn D *et al*
Robinson NM *see* Segal OR *et al*
Robson S *see* Hunter S *et al*
Roden DM. Antiarrhythmic drugs: from mechanisms to clinical practice: *Education*, **339**
Roden DM, Anderson ME. The pause that refreshes, or does it? Mechanisms in torsades de pointes: *editorial*, **235**
Rodriguez L-M *see* Nabar A *et al*
Roffi M *et al*. Thromboembolic leg ischaemia as first manifestation of an unrecognised myocardial infarction, **207**
Rogers IR *see* Hourigan CT *et al*
Romanens M *see* Immer FF *et al*
Román JAS *see* Serrador A *et al*
Rooney SJ *see* Bonser RS *et al*
Ropers D *see* Achenbach S *et al*
Roseboom TJ *et al*. Coronary heart disease after prenatal exposure to the Dutch famine, 1944–45, **595**
Roses AD *see* Wilkins MR *et al*
Roskell D *see* Clarke NRA *et al*
Ruidavets J-B *see* Marques-Vidal P *et al*
Ruilope L. RAS blockade: new possibilities in the treatment of complications of diabetes, **i32**
Rusk R *see* Irvine T *et al*
Ruygrok PN *et al*. Myocardial haemangioma: echocardiographic, MRI, and anatomical correlation, **117**
Rydén L. Managing cardiovascular risk in patients with diabetes, **i23**
Renin-angiotensin system modulating treatments in the management of cardiovascular disease: *editorial*, **i1**

Sack MN *see* Marshall D and Sack MN
Sack S *see* von Birgelen C *et al*
Sadaba JR *see* Paniagua JR *et al*
Sahn DJ *see* Irvine T *et al*
St John Sutton M *see* Wiegers SE
Sakamaki F *see* Nagaya N *et al*
see Oya H *et al*
Salvatore G *see* di Somma S *et al*
Samani NJ *see* Azeem T *et al*
see Gunn M *et al*
Sandri M *see* Vescovo G *et al*
Saner H *see* Immer FF *et al*
Sareli P *see* Skudicky D *et al*
Sasao H *et al*. Does primary stenting preserve cardiac function in myocardial infarction? A case–control study, **515**
Satoh H *see* Terada H *et al*
Satoh T *see* Nagaya N *et al*
see Oya H *et al*
Saunamäki K *see* Mortensen OS *et al*
Sayer JW *et al*. Prognostic implications of ventricular fibrillation in acute myocardial infarction: new strategies required for further mortality reduction, **258**
Schneider MBE *see* Leslie WS *et al*
Schroeder-Tanka JM *see* Roseboom TJ *et al*
Schulz R, Heusch G. Hibernating myocardium, **587**
Schulze-Neick I *see* Abrams D *et al*
Schulze-Neick I *et al*. Pulmonary vascular–bronchial interactions: acute reduction in pulmonary blood flow alters lung mechanics, **284**
Schwaiger M *see* Ibrahim T and Schwaiger M
Schwarz ER *see* Haager PK *et al*
Segal OR *et al*. Recurrent myxoma of the right ventricle, **652**
Segovia E *see* Batalla A and Segovia E
Seiler C *see* Netzer RO-M *et al*
Sekiguchi K *see* Seta Y *et al*
Sekijima T *see* Horigome H *et al*
Senior R *see* Soman P *et al*
Serrador A *et al*. Echohistological correlation in *Candida albicans* endocarditis, **24**
Serruys PW *see* Violaris AG *et al*
Seta Y *et al*. Interleukin 18 in acute myocardial infarction: *letter*, **668**
Shahi M *see* Alp NJ *et al*
Shapiro LM *see* Hildick-Smith DJR *et al*
Sharma S *see* Varnava AM *et al*
Shaw TRD *see* Sutaria N *et al*
Shepherd J. Lipid lowering: statins and the future, **i46**
Sherlaw-Johnson C *et al*. Likely variations in perioperative mortality associated with cardiac surgery: when does high mortality reflect bad practice?, **79**
Shibasaki M *see* Horigome H *et al*
Shimada I *see* Bonser RS *et al*
Shimada K *see* Hojo Y *et al*
see Hojo Y *et al*
Shimamoto K *see* Sasao H *et al*
Sidi D *see* Aggoun Y *et al*
Signy M *see* Obel O *et al*
Simantirakis EN *see* Kochiadakis GE *et al*
Simeonidou E *see* Furniss S *et al*
Siziya S *see* Hakim JG *et al*
Skudicky D *et al*. Reduction in Fas/APO-1 plasma concentrations correlates with improvement in left ventricular function in patients with idiopathic dilated cardiomyopathy treated with pentoxifylline: *letter*, **438**
Sliwa K *see* Skudicky D *et al*
Smith HJ *et al*. A comparison of four quality of life instruments in cardiac patients: SF-36, QLI, QLMI, and SEIQoL, **390**
Sobrino JM *see* Martínez-Garcia T *et al*
Soman P *et al*. Safety of an intravenous second generation contrast agent in patients with severe left ventricular dysfunction: *letter*, **634**
Soo LH *et al*. Circadian variation in witnessed out of hospital cardiac arrest, **370**
Sparrow NJ *see* Hetmanski DJ *et al*

Spies C *see* Jeremias A *et al*
Spirou P *see* Thanopoulos BD *et al*
Squire IB *see* Talwar S *et al*
Sreeram N *see* Bracke FA *et al*
Stanke-Labesque F *see* Cracowski JL *et al*
Stefanadis C *see* Tousoulis D *et al*
Stephens JC *see* Gunn M *et al*
Stevenson WG, Delacretaz E. Radiofrequency catheter ablation of ventricular tachycardia: *Education*, **553**
Stewart MJ *see* Price DJA *et al*
see Sutton AGC *et al*
Stewart RAH *see* Williams MJA *et al*
Stöllberger C *et al*. Seven enigmatic dwarfs, **584**
Stoupel E *see* Unger P *et al*
Strang JIG *see* Wragg A and Strang JIG
Street J *see* Fluck DS *et al*
Strike P *see* Baker CSR *et al*
Struthers AD. The diagnosis of heart failure: *Education*, **334**
Suguta M *et al*. Novel expression of VCAM-1 on the mitral valve in a patient with primary antiphospholipid antibody syndrome, **e10**
Suliman A *see* Kennon S *et al*
Sutaria N *et al*. A survey of sedation and monitoring practices during transoesophageal echocardiography in the UK: are recommended guidelines being followed?: *letter*, **ii19**
Significance of commissural calcification on outcome of mitral balloon valvotomy, **398**
Three dimensional echocardiography for the assessment of mitral valve disease, **ii7**
Sutton AGC *et al*. Failure of thrombolysis by streptokinase: detection with a simple electrocardiographic method, **149**
Failure of thrombolysis: experience with a policy of early angiography and rescue angioplasty for electrocardiographic evidence of failed thrombolysis, **197**
Sutton PMI *et al*. Repolarisation and refractoriness during early ischaemia in humans, **365**
Sutton R *see* Petersen MEV *et al*
Suvarna K *see* Modi P *et al*
Swedberg K. The future: cardiovascular medicine in 10 years, **i48**

Taggart P *see* Sutton PMI *et al*
Tahtaci N *see* Üstünsoy H *et al*
Talwar S *et al*. Plasma N terminal pro-brain natriuretic peptide and cardiotrophin 1 are raised in unstable angina, **421**
Tamura H *see* Ito H *et al*
Tamura J *see* Seta Y *et al*
Tanaka T *see* Seta Y *et al*
Täng MS *see* Andersson B *et al*
Taylor R *see* Smith HJ *et al*
Tentolouris C *see* Tousoulis D *et al*
Ternouth I *see* Hakim JG *et al*
Thanopoulos BD *et al*. Stent treatment for coarctation of the aorta: intermediate term follow up and technical considerations, **65**
Theisen K *see* Pethig K *et al*
Theuns D *et al*. Apparent induction of ventricular tachycardia after "appropriate pacing" by an implantable dual chamber defibrillator: confusing ICD electrograms, **36**
Thiene G *see* Angelini A *et al*
Thompson DR, Lewin RJP. Management of the post-myocardial infarction patient: rehabilitation and cardiac neurosis: *Education*, **101**
Thompson JR *see* Gunn M *et al*
Thompson PL *see* Hourigan CT *et al*
Thury A *see* Violaris AG *et al*
Timmermans C *see* Nabar A *et al*
Timmis AD *see* Kennon S *et al*
see Sayer JW *et al*
see Segal OR *et al*
Timurkaynak T *see* Cemri M *et al*
Toft AD, Boon NA. Thyroid disease and the heart: *Education*, **455**
Tomai F *see* Gaspardone A *et al*
Tonkin AM. Evaluation of large scale clinical trials and their application to usual practice: *Education*, **679**
Tosun M *see* Erem C *et al*
Tousoulis D *see* Kyriakides ZS *et al*
Tousoulis D *et al*. Complex stenosis morphology and vasomotor responses to inhibition of nitric oxide synthesis, **529**
Toutouzas P *see* Tousoulis D *et al*
Townend JN *see* Neil DAH *et al*
Treasure T *see* Sherlaw-Johnson C *et al*
Treasure T. Cardiovascular surgery for Marfan syndrome: *Education*, **674**
Tremel F *see* Cracowski JL *et al*
Trimlett R *see* Sutton PMI *et al*
Triposkiadis F *see* Thanopoulos BD *et al*
Tsang V *see* van Doorn C *et al*
Tsaousis GS *see* Thanopoulos BD *et al*
Tse H-F *et al*. Three dimensional reconstruction of femoral pseudoaneurysm using contrast enhanced axial CT angiography, **581**
Tsuchihashi K *see* Sasao H *et al*
Tunstill A *see* van Doorn C *et al*
Turner M *et al*. Chronic bilateral carotid body tumours causing carotid sinus hypersensitivity: abolition of symptoms by permanent cardiac pacing, **196**
Tynan MJ *see* Johnson P *et al*

Uehara A *see* Terada H *et al*
Uematsu M *see* Nagaya N *et al*
Ueno K *see* Nagaya N *et al*
Uhlich F *see* Gross CM *et al*
Unger P *et al*. Ruptured sinus of Valsalva aneurysm with right ventricular obstruction, quadricuspid aortic valve, and ventricular septal defect, **424**
Unterberg C *see* Reiter H *et al*
Urban JF *see* Roberts PR *et al*
Urie A *see* Leslie WS *et al*
Uslu T *see* Erem C *et al*
Ustünsoy H *et al*. Cardiac hydatid cyst, **464**

van der Meulen JHP *see* Roseboom TJ *et al*
van de Werf F *see* Fierens C *et al*
van Doorn C *et al*. Mitral valve replacement in children: mortality, morbidity, and haemodynamic status up to medium term follow up, **636**
Quality of life in children following mitral valve replacement, **643**
van Gelder LM *see* Bracke FA *et al*
van Montfrans GA *see* Roseboom TJ *et al*
van Ooijen P *see* de Feyter PJ *et al*
Vardas PE *see* Kochiadakis GE *et al*
see Parthenakis FI *et al*
Varnava AM *et al*. Hypertrophic cardiomyopathy: the interrelation of disarray, fibrosis, and small vessel disease, **476**
Vassallo M *see* Azeem T *et al*
Veldtman GR *et al*. Illness understanding in children and adolescents with heart disease, **395**
Vermeer F *see* Ophuis AJO *et al*
Versaci F *see* Gaspardone A *et al*
Vescovo G *et al*. Apoptosis in the skeletal muscle of patients with heart failure: investigation of clinical and biochemical changes, **431**
Vijay P. Adrenomedullin in the treatment of pulmonary hypertension: *editorial*, **575**
Violaris AG *et al*. Influence of a history of smoking on short term (six month) clinical and angiographic outcome after successful coronary angioplasty, **299**
Viskin S *et al*. Prevalence of the Brugada sign in idiopathic ventricular fibrillation and healthy controls, **31**
Vogel M *see* Ewert P *et al*
see Rahman MYAE *et al*
Volterrani M *see* Vescovo G *et al*
von Birgelen C *et al*. Size of emptied plaque cavity following spontaneous rupture is related to coronary dimensions, not to the degree of lumen narrowing. A study with intravascular ultrasound in vivo, **483**

Waagstein F *see* Andersson B *et al*
Wahi S *et al*. Exercise echocardiography predicts development of left ventricular dysfunction in medically and surgically treated patients with asymptomatic severe aortic regurgitation, **606**
Waigand J *see* Gross CM *et al*
Wainwright RJ *see* Gall NP *et al*
Waiter GD *et al*. Regional myocardial wall thickening assessed at rest by ECG gated ^{18}F-FDG positron emission tomography and by magnetic resonance imaging: *letter*, **332**
Waktare JEP, Foran J. Adenosine testing for accessory pathways: not as simple as it seems, **70**
Waktare JEP, Lyons JP. Diagnostic value of a subtherapeutic adenosine dose, **204**
Waldo AL. Treatment of atrial flutter: *Education*, **227**
Wallbridge DR *see* Price DJA *et al*
Walters J *see* Gatzoulis MA *et al*
Walton S *see* Waiter GD *et al*
Ward D *see* Missouris CG *et al*
Webb C *see* Wilmshurst P *et al*
Webb DJ *see* Kyriakides ZS *et al*
Webb GD *see* Gatzoulis MA *et al*
Webel R *see* Meaney E *et al*
Weber C *see* Pethig K *et al*
Weingärtner O *see* Gross CM *et al*
Weissberg PL *see* Farzaneh-Far A *et al*
Welch A *see* Waiter GD *et al*
Wellens HJJ *see* Nabar A *et al*
Westphal A *see* Pethig K *et al*
Weymans M *see* Reybrouck T *et al*
White HD. Moving cardiology to the front of the hospital: *editorial*, **573**
Wiegers SE, Sutton MSJ. When should ACE inhibitors or warfarin be discontinued after myocardial infarction?: *editorial*, **361**
Wieneke H *see* von Birgelen C *et al*
Wikh R *see* Andersson B *et al*
Wilkins D *see* Turner M *et al*
Wilkins GT *see* Williams MJA *et al*

Wilkins MR *et al.* Pharmacogenetics and the treatment of cardiovascular disease: *editorial*, **353**
Wilkinson P *see* Kennon S *et al*
see Sayer JW *et al*
Willenheimer R *et al.* Clinical trials in cardiovascular medicine: are we looking for statistical significance or clinical relevance?, **129**
Williams MJA *et al.* Randomised comparison of the effects of nicardipine and esmolol on coronary artery wall stress: implications for the risk of plaque rupture, **377**
Williams TR *see* Petersen MEV *et al*
Wilmshurst P *et al.* Improving door to needle times with nurse initiated thrombolysis, **262**
Wimart M-C *see* Komajda M and Wimart M-C
Wimmer G *see* Hofmann R *et al*
Winter EM *see* Hildick-Smith DJR *et al*
Wisbey CR *see* Hildick-Smith DJR *et al*
Wood JC *et al.* Giant right coronary artery fistula in a neonate, **128**
Wragg A, Strang JIG. Tuberculous pericarditis and HIV infection: *editorial*, **127**
Wren C *see* Leonard H *et al*
Wyllie J *see* Hunter S *et al*
Wynne-Jones K *et al.* Limitations of the Parsonnet score for measuring risk stratified mortality in the north west of England, **71**

Yamagishi M *see* Hirooka K *et al*
Yamagishi M *et al.* A giant aneurysm in coronary–pulmonary artery fistula associated with mural thrombus, **364**
Yamawake N *see* Nishizaki M *et al*
Yao L *et al.* Troglitazone decreases collagen accumulation in prediabetic stage of a type II diabetic rat model: *letter*, **209**
Yasumura Y *see* Yamagishi M *et al*
Yates R *see* van Doorn C *et al*
Yazdanfar S *see* Perzanowski C *et al*
Yeih D-F *et al.* Successful treatment of aconitine induced life threatening ventricular tachyarrhythmia with amiodarone, **e8**
Yeung AC *see* Jeremias A *et al*
Yiu M *see* Tse H-F *et al*
Yock PG *see* Jeremias A *et al*
Yokoyama T *see* Seta Y *et al*
Young T *see* Soo LH *et al*
Yusuf S *see* Chareonthaitawee P *et al*

Zal B *see* Mahon NG *et al*
Zartner P *see* Leslie WS *et al*
Zeltser D *see* Viskin S *et al*
Zennaro R *see* Vescovo G *et al*
Zhou Q *et al.* Different effects of abnormal activation and myocardial disease on left ventricular ejection and filling times, **272**
Zollinger E *see* Netzer RO-M *et al*

VOLUME 84 • SUBJECT INDEX

12 lead ECG, Treatment of atrial flutter: *Education,* **227**

abciximab, Acute severe thrombocytopenia after treatment with ReoPro (abciximab), **1**
aconitine, Successful treatment of aconitine induced life threatening ventricular tachyarrhythmia with amiodarone, **e8**
actin-myosin, Changes in myocardial cytoskeletal intermediate filaments and myocyte contractile dysfunction in dilated cardiomyopathy: an in vivo study in humans, **659**
acute coronary syndrome, Glagovian remodelling, plaque composition, and stenosis generation: *editorial,* **461**
acute coronary syndromes, Acute coronary syndromes: presentation—clinical spectrum and management: *Education,* **93**
acute myocardial infarction, Acute coronary syndromes: presentation—clinical spectrum and management: *Education,* **93**
Angiographic assessment of prospectively determined non-invasive reperfusion indices in acute myocardial infarction, **164**
Changing the site of delivery of thrombolytic treatment for acute myocardial infarction from the coronary care unit to the emergency department greatly reduces door to needle time, **157**
Failure of thrombolysis: experience with a policy of early angiography and rescue angioplasty for electrocardiographic evidence of failed thrombolysis, **197**
Improving door to needle times with nurse initiated thrombolysis, **262**
Interleukin 18 in acute myocardial infarction: *letter,* **668**
Moving cardiology to the front of the hospital: *editorial,* **573**
Myocarditis mimicking acute myocardial infarction: role of endomyocardial biopsy in the differential diagnosis, **245**
Prognostic implications of ventricular fibrillation in acute myocardial infarction: new strategies required for further mortality reduction, **258**
Time dependent variability of QT dispersion after acute myocardial infarction and its relation to ventricular fibrillation: a prospective study, **504**
adenosine transthoracic echocardiography, Coronary flow reserve is supranormal in endurance athletes: an adenosine transthoracic echocardiographic study, **383**
adrenomedullin, Adrenomedullin in the treatment of pulmonary hypertension: *editorial,* **575**
Decreased adrenomedullin production in the coronary circulation of patients with coronary artery disease: *letter,* **88**
Haemodynamic and hormonal effects of adrenomedullin in patients with pulmonary hypertension, **653**
ajmaline, Brugada syndrome: an electrocardiographic diagnosis not to be missed: *editorial,* **1**
amiodarone, Low dose amiodarone and sotalol in the treatment of recurrent, symptomatic atrial fibrillation:, **251**
Successful treatment of aconitine induced life threatening ventricular tachyarrhythmia with amiodarone, **e8**
aneurysm, A novel method for transcatheter closure of atrial septal defect within an aneurysm of the fossa ovalis: double sheath technique, **e14**
Coexistence of giant aneurysm of sinus of Valsalva and coronary artery aneurysm associated with idiopathic hypereosinophilic syndrome, **e7**
Morphology of perforated atrial septal aneurysm suitable for closure by transcatheter device placement, **327**
angina pectoris, Coronary artery compliance and adaptive vessel remodelling in patients with stable and unstable coronary artery disease, **314**
Plasma N terminal pro-brain natriuretic peptide and cardiotrophin 1 are raised in unstable angina, **421**
angiography, Endogenous endothelin maintains coronary artery tone by endothelin type A receptor stimulation in patients undergoing coronary arteriography, **176**
angiotensin converting enzyme inhibitors, ACE inhibition and AT_1 receptor blockers: efficacy and duration in hypertension, **i39**
Angiotensin converting enzyme inhibition: from viper to patient, **i11**
AT_1 receptor antagonists—beyond blood pressure control: possible place in heart failure treatment, **i42**
Diabetic nephropathy: evidence for renoprotection and practice, **i26**
Improving patient outcomes in heart failure: evidence and barriers, **i8**
Modern management of hypertension and heart failure: evidence and practice, **i35**
Modulation of the renin-angiotensin system and retinopathy, **i29**
RAS blockade: new possibilities in the treatment of complications of diabetes, **i32**
Renin-angiotensin system modulating treatments in the management of cardiovascular disease: *editorial,* **i1**
Secondary prevention: improving outcomes following myocardial infarction, **i5**
When should ACE inhibitors or warfarin be discontinued after myocardial infarction?: *editorial,* **361**
STOP-Hypertension-2 and best practice for the future, **i2**
Discussion, **i50**
antiarrhythmic drugs, Antiarrhythmic drugs: from mechanisms to clinical practice: *Education,* **339**
Antiarrhythmics—from cell to clinic: past, present, and future: *review,* **14**
Treatment of atrial flutter: *Education,* **227**
anticoagulation, Anticoagulation in valvar heart disease: new aspects and management during non-cardiac surgery: *Education,* **567**
antiphospholipid antibody syndrome, Novel expression of VCAM-1 on the mitral valve in a patient with primary antiphospholipid antibody syndrome, **e10**
aortic coarctation, Stent treatment for coarctation of the aorta: intermediate term follow up and technical considerations, **65**
aortic dissection, Cardiovascular surgery for Marfan syndrome: *Education,* **674**
aortic regurgitation, Exercise echocardiography predicts development of left ventricular dysfunction in medically and surgically treated patients with asymptomatic severe aortic regurgitation, **606**
aortic root, Clinical anatomy of the aortic root: *Education,* **670**
aortic stenosis, Timing of aortic valve surgery: *Education,* **211**
aortic valve, Clinical anatomy of the aortic root: *Education,* **670**
Timing of aortic valve surgery: *Education,* **211**
apoptosis, Apoptosis: a pivotal event or an epiphenomenon in the pathophysiology of heart failure?: *editorial,* **355**
Apoptosis in the skeletal muscle of patients with heart failure: investigation of clinical and biochemical changes, **431**
arrhythmia, Late arrhythmia in adults with the Mustard procedure for transposition of great arteries: a surrogate marker for right ventricular dysfunction?, **409**
The pause that refreshes, or does it? Mechanisms in torsades de pointes: *editorial,* **235**
Time dependent variability of QT dispersion after acute myocardial infarction and its relation to ventricular fibrillation: a prospective study, **504**
arrhythmias, Heart disease in the elderly: *Education,* **560**
arterial vessel wall, Stent magic! The genie has escaped from the bottle: *editorial,* **469**
arteries, Endogenous endothelin maintains coronary artery tone by endothelin type A receptor stimulation in patients undergoing coronary arteriography, **176**
arteritis, Coexistence of giant aneurysm of sinus of Valsalva and coronary artery aneurysm associated with idiopathic hypereosinophilic syndrome, **e7**
ascending aorta, Cardiovascular surgery for Marfan syndrome: *Education,* **674**
aspirin, Influence of previous aspirin treatment and smoking on the electrocardiographic manifestations of injury in acute myocardial infarction, **41**
atherogenesis, Polymorphisms of the P-selectin gene and risk of myocardial infarction in men and women in the ECTIM extension study, **548**
atherosclerosis, Endothelial dysfunction: the role and impact of the renin-angiotensin system, **i20**
Glagovian remodelling, plaque composition, and stenosis generation: *editorial,* **461**
atherosclerotic plaque, Lipid lowering: statins and the future, **i46**
athlete, Coronary flow reserve is supranormal in endurance athletes: an adenosine transthoracic echocardiographic study, **383**
AT_1 receptor antagonists, AT_1 receptor antagonists—beyond blood pressure control: possible place in heart failure treatment, **i42**
ACE inhibition and AT_1 receptor blockers: efficacy and duration in hypertension, **i39**
Discussion, **i50**
Renin-angiotensin system modulating treatments in the management of cardiovascular disease: *editorial,* **i1**
atrial activation, Comparison of the acute effects of pacing the atrial septum, right atrial appendage, coronary sinus os, and the latter two sites simultaneously on the duration of atrial activation, **193**
atrial fibrillation, Capture and fusion beats during atrial fibrillation and ventricular tachycardia, **e1**
Comparison of the acute effects of pacing the atrial septum, right atrial appendage, coronary sinus os, and the latter two sites simultaneously on the duration of atrial activation, **193**
Intravenous amiodarone bolus immediately controls heart rate in patients with atrial fibrillation accompanied by severe congestive heart failure: *letter,* **635**
Low dose amiodarone and sotalol in the treatment of recurrent, symptomatic atrial fibrillation:, **251**
Randomised double blind trial of oral versus intravenous flecainide for the cardioversion of acute atrial fibrillation, **37**
atrial flutter, Treatment of atrial flutter: *Education,* **227**
atrial septal defect, A novel method for transcatheter closure of atrial septal defect within an aneurysm of the fossa ovalis: double sheath technique, **e14**

atrial septal defects, Transcatheter closure of atrial septal defects using the Cardio-Seal implant, **320**
atrial septal pacing, Comparison of the acute effects of pacing the atrial septum, right atrial appendage, coronary sinus os, and the latter two sites simultaneously on the duration of atrial activation, **193**
atrial septum, Morphology of perforated atrial septal aneurysm suitable for closure by transcatheter device placement, **327**
atrial tachyarrhythmia, Treatment of atrial flutter: *Education,* **227**
atrioventricular delay, Multisite stimulation for correction of cardiac asynchrony: *editorial,* **579**
atrioventricular nodal conduction, Capture and fusion beats during atrial fibrillation and ventricular tachycardia, **e1**
audit, Limitations of the Parsonnet score for measuring risk stratified mortality in the north west of England, **71**
Secondary prevention of hypercholesterolaemia: results of an audit conducted in South Wales, **e3**

balloon angioplasty, Is provisional stenting the effective option? The WIDEST study (Wiktor stent in de novo stenosis), **522**
Stent magic! The genie has escaped from the bottle: *editorial,* **469**
Treatment options for coarctation of the aorta: *editorial,* **11**
balloon pulmonary valvuloplasty, Balloon pulmonary valvuloplasty in carcinoid syndrome, **e13**
Barker's hypotheses, Fetal and infant markers of adult heart disease: *Education,* **219**
Behcet's disease, Increased plasma lipoprotein (a) concentrations in Behcet's disease and its relation to vascular events: *letter,* **208**
biventricular pacing, Why biventricular pacing might be of value in refractory heart failure?: *editorial,* **125**
β blockers, Randomised comparison of the effects of nicardipine and esmolol on coronary artery wall stress: implications for the risk of plaque rupture, **377**
Baseline predictors of tolerability to carvedilol in patients with chronic heart failure, **615**
STOP-Hypertension-2 and best practice for the future, **i2**
blood flow, Endogenous endothelin maintains coronary artery tone by endothelin type A receptor stimulation in patients undergoing coronary arteriography, **176**
blood vessel prostheses, Stent treatment for coarctation of the aorta: intermediate term follow up and technical considerations, **65**
brain natriuretic peptide, Failure of plasma brain natriuretic peptide to identify left ventricular systolic dysfunction in the community: *letter,* **440**
Plasma N terminal pro-brain natriuretic peptide and cardiotrophin 1 are raised in unstable angina, **421**
Brugada syndrome, Brugada syndrome: an electrocardiographic diagnosis not to be missed: *editorial,* **1**
Prevalence of the Brugada sign in idiopathic ventricular fibrillation and healthy controls, **31**

calcium antagonists, STOP-Hypertension-2 and best practice for the future, **i2**
calcium channel antagonists, Randomised comparison of the effects of nicardipine and esmolol on coronary artery wall stress: implications for the risk of plaque rupture, **377**
carcinoid syndrome, Balloon pulmonary valvuloplasty in carcinoid syndrome, **e13**
cardiac allograft vasculopathy, Progression of cardiac allograft vascular disease as assessed by serial intravascular ultrasound: correlation to immunological and non-immunological risk factors, **494**
cardiac arrest, Circadian variation in witnessed out of hospital cardiac arrest, **370**
Prevalence of the Brugada sign in idiopathic ventricular fibrillation and healthy controls, **31**
cardiac biopsy, Changes in myocardial cytoskeletal intermediate filaments and myocyte contractile dysfunction in dilated cardiomyopathy: an in vivo study in humans, **659**
cardiac failure, Increased formation of F_2-isoprostanes in patients with severe heart failure: *letter,* **439**
cardiac flow, Three dimensional colour Doppler echocardiography for the characterisation and quantification of cardiac flow events, **ii2**
cardiac function, Ventricular mass and diastolic function in patients infected by the human immunodeficiency virus, **620**
cardiac pacing, Biventricular pacing in patients with severe heart failure: *editorial,* **123**
cardiac surgery, Cardiac surgical mortality: the tip of the quality assurance iceberg: *editorial,* **7**
Fair comparison of mortality data following cardiac surgery: *editorial,* **5**
Limitations of the Parsonnet score for measuring risk stratified mortality in the north west of England, **71**
cardiomyoplasty, Cellular cardiomyoplasty: a new hope in heart failure?: *editorial,* **465**
cardiopulmonary interaction, Pulmonary vascular–bronchial interactions: acute reduction in pulmonary blood flow alters lung mechanics, **284**
cardiotrophin 1, Plasma N terminal pro-brain natriuretic peptide and cardiotrophin 1 are raised in unstable angina, **421**
cardiovascular clinical trials, Clinical trials in cardiovascular medicine: are we looking for statistical significance or clinical relevance?, **129**
cardiovascular disease, Treatment of cardiac diseases: evidence based or experience based medicine?, **134**
cardiovascular risk, Managing cardiovascular risk in patients with diabetes, **i23**
carotid sinus massage, Coronary artery spasm induced by carotid sinus massage, **e2**
carvedilol, Baseline predictors of tolerability to carvedilol in patients with chronic heart failure, **615**
case fatality, Incidence, recurrence, and case fatality rates for myocardial infarction in southwestern France, 1985 to 1993, **171**
catheter ablation, Catheter ablation of ventricular tachycardia: are there limits?: *editorial,* **585**
Radiofrequency ablation of haemodynamically unstable ventricular tachycardia after myocardial infarction, **648**
Treatment of atrial flutter: *Education,* **227**
catheter intervention, Pulmonary vascular–bronchial interactions: acute reduction in pulmonary blood flow alters lung mechanics, **284**
cell adhesion molecules, Polymorphisms of the P-selectin gene and risk of myocardial infarction in men and women in the ECTIM extension study, **548**
Quality of life in children following mitral valve replacement, **643**
children, Illness understanding in children and adolescents with heart disease, **395**
Mitral valve replacement in children: mortality, morbidity, and haemodynamic status up to medium term follow up, **636**
cholesterol lowering, Need for large scale randomised evidence about lowering LDL cholesterol in people with diabetes mellitus: MRC/BHF heart protection study and other major trials: *editorial,* **357**
chronic aortic regurgitation, Timing of aortic valve surgery: *Education,* **211**
chronic heart failure, Apoptosis in the skeletal muscle of patients with heart failure: investigation of clinical and biochemical changes, **431**
Baseline predictors of tolerability to carvedilol in patients with chronic heart failure, **615**
circadian variation, Circadian variation in witnessed out of hospital cardiac arrest, **370**
coarctation of the aorta, Treatment options for coarctation of the aorta: *editorial,* **11**
cohort studies, Fetal and infant markers of adult heart disease: *Education,* **219**
commissure calcification, Significance of commissural calcification on outcome of mitral balloon valvotomy, **398**
compliance, Coronary artery compliance and adaptive vessel remodelling in patients with stable and unstable coronary artery disease, **314**
Mechanical properties of the common carotid artery in Williams syndrome, **290**
computed tomography, Contrast enhanced electron beam computed tomography to analyse the coronary arteries in patients after acute myocardial infarction, **489**
congenital heart disease, Intracardiac pressures in the human fetus, **59**
Late arrhythmia in adults with the Mustard procedure for transposition of great arteries: a surrogate marker for right ventricular dysfunction?, **409**
Natural and unnatural history of pulmonary atresia, **499**
Oxygen uptake versus exercise intensity: a new concept in assessing cardiovascular exercise function in patients with congenital heart disease, **46**
Prenatal diagnosis of congenital heart disease in the northern region of England: benefits of a training programme for obstetric ultrasonographers, **294**
Radionuclide investigation of congenital heart disease: *editorial,* **467**
Transcatheter closure of atrial septal defects using the Cardio-Seal implant, **320**
congestive heart failure, Left ventricular dysfunction: causes, natural history, and hopes for reversal, **i15**
contractile reserve, Exercise echocardiography predicts development of left ventricular dysfunction in medically and surgically treated patients with asymptomatic severe aortic regurgitation, **606**
contrast echocardiography, Safety of an intravenous second generation contrast agent in patients with severe left ventricular dysfunction: *letter,* **634**
coronary angiography, Contrast enhanced electron beam computed tomography to analyse the coronary arteries in patients after acute myocardial infarction, **489**
Non-invasive coronary artery imaging with electron beam computed tomography and magnetic resonance imaging: *Education,* **442**
coronary angioplasty, Does smoking cessation reduce the risk of restenosis following coronary angioplasty?: *editorial,* **233**
Identifying failure to achieve complete (TIMI 3) reperfusion following thrombolytic treatment: how to do it, when to do it, and why it's worth doing: *editorial,* **113**

Influence of a history of smoking on short term (six month) clinical and angiographic outcome after successful coronary angioplasty, **299**
Is provisional stenting the effective option? The WIDEST study (Wiktor stent in de novo stenosis), **522**
coronary artery, Multivessel coronary thrombosis, acute myocardial infarction, and no reflow in a patient with essential thrombocythaemia, **1**
coronary artery disease, Acute coronary syndromes: presentation—clinical spectrum and management: *Education*, **93**
Clinical and angiographic outcome in patients with in-stent restenosis and repeat target lesion revascularisation in small coronary arteries, **307**
Complex stenosis morphology and vasomotor responses to inhibition of nitric oxide synthesis, **529**
Coronary artery compliance and adaptive vessel remodelling in patients with stable and unstable coronary artery disease, **314**
Decreased adrenomedullin production in the coronary circulation of patients with coronary artery disease: *letter*, **88**
Interface between valve disease and ischaemic heart disease: *Education*, **347**
Interleukin 6: a message from the heart: *editorial*, **9**
Thyroid disease and the heart: *Education*, **455**
coronary artery spasm, Coronary artery spasm induced by carotid sinus massage, **e2**
coronary circulation, Endogenous endothelin maintains coronary artery tone by endothelin type A receptor stimulation in patients undergoing coronary arteriography, **176**
coronary disease, Randomised comparison of the effects of nicardipine and esmolol on coronary artery wall stress: implications for the risk of plaque rupture, **377**
coronary flow reserve, Coronary flow reserve is supranormal in endurance athletes: an adenosine transthoracic echocardiographic study, **383**
coronary heart disease, Cardiovascular surgery for Marfan syndrome: *Education*, **674**
Coronary heart disease after prenatal exposure to the Dutch famine, 1944–45, **595**
Coronary heart disease incidence in northern and southern European populations: a reanalysis of the seven countries study for a European coronary risk chart, **238**
Coronary heart disease trends in France and elsewhere: *editorial*, **121**
Need for large scale randomised evidence about lowering LDL cholesterol in people with diabetes mellitus: MRC/BHF heart protection study and other major trials: *editorial*, **357**
Responding to the requirements of the National Service Framework for coronary disease: a core data set for myocardial infarction: *editorial*, **116**
Significant association of cagA positive *Helicobacter pylori* strains with risk of premature myocardial infarction, **267**
coronary sinus, Coexistence of giant aneurysm of sinus of Valsalva and coronary artery aneurysm associated with idiopathic hypereosinophilic syndrome, **e7**
coronary stenosis, Glagovian remodelling, plaque composition, and stenosis generation: *editorial*, **461**
coronary stent, Clinical and angiographic outcome in patients with in-stent restenosis and repeat target lesion revascularisation in small coronary arteries, **307**
coronary vasospasm, Coronary artery spasm induced by carotid sinus massage, **e2**
Life threatening coronary artery spasm in childhood Kimura's disease, **e5**
corticosteroids, Tuberculous pericarditis and HIV infection: *editorial*, **127**
C-reactive protein, Exercise induced myocardial ischaemia does not cause increase in C-reactive protein concentration: *letter*, **668**
cytochrome P450, Pharmacogenetics and the treatment of cardiovascular disease: *editorial*, **353**
cytokine, Interleukin 6 expression in coronary circulation after coronary angioplasty as a risk factor for restenosis, **83**
cytokines, Reduction in Fas/APO-1 plasma concentrations correlates with improvement in left ventricular function in patients with idiopathic dilated cardiomyopathy treated with pentoxifylline: *letter*, **438**

defibrillation threshold, A multifilamented electrode in the middle cardiac vein reduces energy requirements for defibrillation in the pig, **425**
desmin, Changes in myocardial cytoskeletal intermediate filaments and myocyte contractile dysfunction in dilated cardiomyopathy: an in vivo study in humans, **659**
diabetes, Managing cardiovascular risk in patients with diabetes, **i23**
Need for large scale randomised evidence about lowering LDL cholesterol in people with diabetes mellitus: MRC/BHF heart protection study and other major trials: *editorial*, **357**
diabetic nephropathy, Diabetic nephropathy: evidence for renoprotection and practice, **i26**
RAS blockade: new possibilities in the treatment of complications of diabetes, **i32**
diagnosis, The diagnosis of heart failure: *Education*, **334**
diastolic function, Early changes in longitudinal performance predict future improvement in global left ventricular function during long term β adrenergic blockade, **599**
The importance of long axis ventricular function: *editorial*, **577**
dilated cardiomyopathy, Changes in myocardial cytoskeletal intermediate filaments and myocyte contractile dysfunction in dilated cardiomyopathy: an in vivo study in humans, **659**
Different effects of abnormal activation and myocardial disease on left ventricular ejection and filling times, **272**
Early changes in longitudinal performance predict future improvement in global left ventricular function during long term β adrenergic blockade, **599**
Genetics of dilated cardiomyopathy: a molecular maze?: *editorial*, **463**
Haemochromatosis gene mutations in idiopathic dilated cardiomyopathy, **541**
door to needle time, Changing the site of delivery of thrombolytic treatment for acute myocardial infarction from the coronary care unit to the emergency department greatly reduces door to needle time, **157**
Improving door to needle times with nurse initiated thrombolysis, **262**
Moving cardiology to the front of the hospital: *editorial*, **573**
Doppler flow, Intracoronary infusions and the assessment of coronary blood flow in clinical studies: *editorial*, **118**
Doppler myocardial imaging, Tissue Doppler imaging: current and potential clinical applications, **ii11**
drug metabolisms, Pharmacogenetics and the treatment of cardiovascular disease: *editorial*, **353**
dual site pacing, Comparison of the acute effects of pacing the atrial septum, right atrial appendage, coronary sinus os, and the latter two sites simultaneously on the duration of atrial activation, **193**

ECG abnormalities, Minnesota coding and the prevalence of ECG abnormalities: *editorial*, **582**
Prevalences of ECG findings in large population based samples of men and women, **625**
echocardiography, Different effects of abnormal activation and myocardial disease on left ventricular ejection and filling times, **272**
Double blind randomised placebo controlled trial of adjunctive prednisolone in the treatment of effusive tuberculous pericarditis in HIV seropositive patients, **183**
Early changes in longitudinal performance predict future improvement in global left ventricular function during long term β adrenergic blockade, **599**
Pentacuspid aortic valve diagnosed by transoesophageal echocardiography, **e9**
Pressure damping, a "billowing" septum, and an eerie silence: perioperative, intermittent obstruction of a mitral valve prosthesis, **e6**
Role of transoesophageal echocardiography in infective endocarditis: *editorial*, **3**
The diagnosis of heart failure: *Education*, **334**
The importance of long axis ventricular function: *editorial*, **577**
Eisenmenger syndrome, Haemodynamic correlates and prognostic significance of serum uric acid in adult patients with Eisenmenger syndrome, **53**
ejection fraction, Exercise echocardiography predicts development of left ventricular dysfunction in medically and surgically treated patients with asymptomatic severe aortic regurgitation, **606**
elastin, Mechanical properties of the common carotid artery in Williams syndrome, **290**
elderly, Heart disease in the elderly: *Education*, **560**
STOP-Hypertension-2 and best practice for the future, **i2**
electrocardiogram, Exercise induced supraventricular tachycardia?, **e11**
electron beam computed tomography, Contrast enhanced electron beam computed tomography to analyse the coronary arteries in patients after acute myocardial infarction, **489**
Non-invasive coronary artery imaging with electron beam computed tomography and magnetic resonance imaging: *Education*, **442**
emergency department, Moving cardiology to the front of the hospital: *editorial*, **573**
endomyocardial biopsy, Myocarditis mimicking acute myocardial infarction: role of endomyocardial biopsy in the differential diagnosis, **245**
endothelial dysfunction, Endothelial dysfunction: the role and impact of the renin-angiotensin system, **i20**
endothelin-1, Decreased adrenomedullin production in the coronary circulation of patients with coronary artery disease: *letter*, **88**
endothelins, Endogenous endothelin maintains coronary artery tone by endothelin type A receptor stimulation in patients undergoing coronary arteriography, **176**
endothelium, Complex stenosis morphology and vasomotor responses to inhibition of nitric oxide synthesis, **529**
eosinophilia, Coexistence of giant aneurysm of sinus of Valsalva and coronary artery aneurysm associated with idiopathic hypereosinophilic syndrome, **e7**
evidence based medicine, Treatment of cardiac diseases: evidence based or experience based medicine?, **134**
excitability, Ischaemia, action potentials, and refractoriness : *editorial*, **363**

exercise capacity, Apoptosis in the skeletal muscle of patients with heart failure: investigation of clinical and biochemical changes, **431**
exercise testing, Does angina vary with the menstrual cycle in women with premenopausal coronary artery disease?, **189**
Exercise echocardiography predicts development of left ventricular dysfunction in medically and surgically treated patients with asymptomatic severe aortic regurgitation, **606**
Exercise induced supraventricular tachycardia?, **e11**
Oxygen uptake versus exercise intensity: a new concept in assessing cardiovascular exercise function in patients with congenital heart disease, **46**
expansion rate, Clinical and patho-anatomical factors affecting expansion of thoracic aortic aneurysms, **277**

failed reperfusion, Failure of thrombolysis: experience with a policy of early angiography and rescue angioplasty for electrocardiographic evidence of failed thrombolysis, **197**
fetal echocardiography, Prenatal diagnosis of congenital heart disease in the northern region of England: benefits of a training programme for obstetric ultrasonographers, **294**
fetal origins hypothesis, Coronary heart disease after prenatal exposure to the Dutch famine, 1944–45, **595**
fetus, Intracardiac pressures in the human fetus, **59**
flecainide, Randomised double blind trial of oral versus intravenous flecainide for the cardioversion of acute atrial fibrillation, **37**
fossa ovalis, A novel method for transcatheter closure of atrial septal defect within an aneurysm of the fossa ovalis: double sheath technique, **e14**
France, Coronary heart disease trends in France and elsewhere: *editorial,* **121**

genetics, Genetics of dilated cardiomyopathy: a molecular maze?: *editorial,* **463**
Haemochromatosis gene mutations in idiopathic dilated cardiomyopathy, **541**
The pause that refreshes, or does it? Mechanisms in torsades de pointes: *editorial,* **235**
glomerular filtration rate, Diabetic nephropathy: evidence for renoprotection and practice, **i26**
guidelines, A survey of sedation and monitoring practices during transoesophageal echocardiography in the UK: are recommended guidelines being followed?: *letter,* **ii19**

haemochromatosis, Haemochromatosis gene mutations in idiopathic dilated cardiomyopathy, **541**
haemodynamics, Adrenomedullin in the treatment of pulmonary hypertension: *editorial,* **575**
Biventricular pacing in patients with severe heart failure: *editorial,* **123**
Haemodynamic and hormonal effects of adrenomedullin in patients with pulmonary hypertension, **653**
Haemodynamic correlates and prognostic significance of serum uric acid in adult patients with Eisenmenger syndrome, **53**
head up tilt, The normal response to prolonged passive head up tilt testing, **509**
health related quality of life, Health related quality of life after conservative or invasive treatment of inducible postinfarction ischaemia, **535**
heart disease, A comparison of four quality of life instruments in cardiac patients: SF-36, QLI, QLMI, and SEIQoL, **390**
Heart disease in the elderly: *Education,* **560**
Illness understanding in children and adolescents with heart disease, **395**
heart failure, Angiotensin converting enzyme inhibition: from viper to patient, **i11**
Apoptosis: a pivotal event or an epiphenomenon in the pathophysiology of heart failure?: *editorial,* **355**
AT_1 receptor antagonists—beyond blood pressure control: possible place in heart failure treatment, **i42**
Biventricular pacing in patients with severe heart failure:: *editorial,* **123**
Cellular cardiomyoplasty: a new hope in heart failure?: *editorial,* **465**
Diagnosis and management of dilated cardiomyopathy: *Education,* **106**
Genetics of dilated cardiomyopathy: a molecular maze?: *editorial,* **463**
Heart disease in the elderly: *Education,* **560**
Improving patient outcomes in heart failure: evidence and barriers, **i8**
Intravenous amiodarone bolus immediately controls heart rate in patients with atrial fibrillation accompanied by severe congestive heart failure: *letter,* **635**
Modern management of hypertension and heart failure: evidence and practice, **i35**
Multisite stimulation for correction of cardiac asynchrony: *editorial,* **579**
Renin-angiotensin system mediated mechanisms: cardioreparation and cardioprotection, **i18**
Renin-angiotensin system modulating treatments in the management of cardiovascular disease: *editorial,* **i1**
Secondary prevention: improving outcomes following myocardial infarction, **i5**
The diagnosis of heart failure: *Education,* **334**
The future: cardiovascular medicine in 10 years, **i48**
Why biventricular pacing might be of value in refractory heart failure?: *editorial,* **125**
heart transplantation, Progression of cardiac allograft vascular disease as assessed by serial intravascular ultrasound: correlation to immunological and non-immunological risk factors, **494**
Reversible left ventricular dysfunction associated with raised troponin I after subarachnoid haemorrhage does not preclude successful heart transplantation, **205**
heart valve replacement, Quality of life in children following mitral valve replacement, **643**
Helicobacter pylori, Significant association of cagA positive *Helicobacter pylori* strains with risk of premature myocardial infarction, **267**
herbal medicine, Successful treatment of aconitine induced life threatening ventricular tachyarrhythmia with amiodarone, **e8**
hibernating myocardium, Hibernating myocardium: *review,* **587**
histopathology, Hypertrophic cardiomyopathy: the interrelation of disarray, fibrosis, and small vessel disease, **476**
HIV, Tuberculous pericarditis and HIV infection: *editorial,* **127**
HIV infection, Double blind randomised placebo controlled trial of adjunctive prednisolone in the treatment of effusive tuberculous pericarditis in HIV seropositive patients, **183**
Ventricular mass and diastolic function in patients infected by the human immunodeficiency virus, **620**
hormonal effects, Adrenomedullin in the treatment of pulmonary hypertension: *editorial,* **575**
hypercholesterolaemia, Secondary prevention of hypercholesterolaemia: results of an audit conducted in South Wales, **e3**
hypereosinophilia, Life threatening coronary artery spasm in childhood Kimura's disease, **e5**
hypertension, ACE inhibition and AT_1 receptor blockers: efficacy and duration in hypertension, **i39**
Angiotensin converting enzyme inhibition: from viper to patient, **i11**
Fetal and infant markers of adult heart disease: *Education,* **219**
Mechanical properties of the common carotid artery in Williams syndrome, **290**
Modern management of hypertension and heart failure: evidence and practice, **i35**
STOP-Hypertension-2 and best practice for the future, **i2**
The future: cardiovascular medicine in 10 years, **i48**
hypertrophic cardiomyopathy, Hypertrophic cardiomyopathy: the interrelation of disarray, fibrosis, and small vessel disease, **476**
hypothyroidism, Thyroid disease and the heart: *Education,* **455**

idiopathic dilated cardiomyopathy, Diagnosis and management of dilated cardiomyopathy: *Education,* **106**
Reduction in Fas/APO-1 plasma concentrations correlates with improvement in left ventricular function in patients with idiopathic dilated cardiomyopathy treated with pentoxifylline: *letter,* **438**
Images in cardiology, A case report of aortic arch mobile thrombi, **614**
A giant aneurysm in coronary–pulmonary artery fistula associated with mural thrombus, **364**
Adenosine testing for accessory pathways: not as simple as it seems, **70**
Anomalous origin of the left coronary artery from the non-coronary sinus of Valsalva, **136**
Apparent induction of ventricular tachycardia after "appropriate pacing" by an implantable dual chamber defibrillator: confusing ICD electrograms, **36**
Biventricular diverticula in a patient with restrictive cardiomyopathy, **333**
Cardiac hydatid cyst, **464**
Chronic bilateral carotid body tumours causing carotid sinus hypersensitivity: abolition of symptoms by permanent cardiac pacing, **196**
Colour coded blood flow imaging in intravascular ultrasound, **376**
Coronary artery calcification, **30**
Coronary sinus ostial atresia with persistent left superior vena cava connected with atrial septal defect, **289**
Defective limb growth after retrograde balloon valvuloplasty, **63**
Descending thoracic aortic aneurysm in rheumatoid arthritis, **122**
Diagnostic value of a subtherapeutic adenosine dose, **204**
Double orifice mitral valve, **244**
Echohistological correlation in *Candida albicans* endocarditis, **24**
Emergency DDD pacing using a single lead, balloon tip catheter, **210**
Endomyocardial fibrosis associated with antiphospholipid syndrome, **156**
Enlargement of cardiac rhabdomyoma and myocardial ischaemia during corticotropin treatment for infantile spasm, **170**
Familial ventricular tachycardia with mild ventricular dysfunction: a 15 year follow up of two African American brothers with arrhythmogenic right ventricular dysplasia, **658**
Giant right coronary artery fistula in a neonate, **128**
Haemangioma of the interatrial septum, **493**
How to survive myocardial rupture after myocardial infarction, **552**

Isolated left atrial tamponade following circumflex artery angioplasty, **514**
Mitral regurgitation secondary to ruptured papillary muscle, **13**
Mitral valve aneurysm, **534**
Multiple milking in hypertrophic cardiomyopathy, **503**
Mycotic aneurysm formation with dehiscence of a valved aortic conduit resulting in dynamic aortic obstruction, **271**
Mycotic pseudoaneurysm of the ascending aorta following, **124**
Myocardial haemangioma: echocardiographic, MRI, and anatomical correlation, **117**
Prolapse of an atrial myxoma into the apex of the left ventricle, **437**
Prostaglandin E_1 sensitive persistent fifth aortic arch type 2, **141**
Recurrent myxoma of the right ventricle, **652**
Ruptured sinus of Valsalva aneurysm with right ventricular obstruction, quadricuspid aortic valve, and ventricular septal defect, **424**
Saddle pulmonary embolism: diagnosis by spiral computed tomography, **10**
Seven enigmatic dwarfs, **584**
Silent patent ductus arteriosus endarteritis, **619**
Surgical resection of an asymptomatic aortic valve papillary fibroelastoma in a young man, **578**
Three dimensional reconstruction of femoral pseudoaneurysm using contrast enhanced axial CT angiography, **581**
Thromboembolic leg ischaemia as first manifestation of an unrecognised myocardial infarction, **207**
Treatment of tachyarrhythmia induced syncopes by angioplasty of the right coronary artery, **298**
UPO: unidentified pericardial object, **415**
Visualisation of ablated septal myocardium using myocardial contrast echocardiography in hypertrophic obstructive cardiomyopathy, **382**
Visualisation of systolic myocardial perfusion defect induced by septal squeezing, **482**
Visualising fatty deposits in familial arrhythmogenic right ventricular cardiomyopathy by magnetic resonance imaging, **52**

implantable cardioverter defibrillator, A multifilamented electrode in the middle cardiac vein reduces energy requirements for defibrillation in the pig, **425**
Catheter ablation of ventricular tachycardia: are there limits?: *editorial*, **585**

infarct related artery, Identifying failure to achieve complete (TIMI 3) reperfusion following thrombolytic treatment: how to do it, when to do it, and why it's worth doing: *editorial*, **113**

infarct size, The impact of time to thrombolytic treatment on outcome in patients with acute myocardial infarction, **142**

infective endocarditis, Infective endocarditis: clinical spectrum, presentation and outcome. An analysis of 212 cases 1980–1995, **25**
Role of transoesophageal echocardiography in infective endocarditis: *editorial*, **3**

inflammation, Interleukin 6 expression in coronary circulation after coronary angioplasty as a risk factor for restenosis, **83**

insulin resistance, Fetal and infant markers of adult heart disease: *Education*, **219**

interleukin 18, Interleukin 18 in acute myocardial infarction: *letter*, **668**

interleukin 6, Interleukin 6: a message from the heart: *editorial*, **9**

intermittent obstruction, Pressure damping, a "billowing" septum, and an eerie silence: perioperative, intermittent obstruction of a mitral valve prosthesis, **e6**

interventional catheterisation, Transcatheter closure of atrial septal defects using the Cardio-Seal implant, **320**

interventricular asynchrony, Multisite stimulation for correction of cardiac asynchrony: *editorial*, **579**

intracoronary drug administration, Intracoronary infusions and the assessment of coronary blood flow in clinical studies: *editorial*, **118**

intravascular ultrasound, Intracoronary infusions and the assessment of coronary blood flow in clinical studies: *editorial*, **118**
Progression of cardiac allograft vascular disease as assessed by serial intravascular ultrasound: correlation to immunological and non-immunological risk factors, **494**
Size of emptied plaque cavity following spontaneous rupture is related to coronary dimensions, not to the degree of lumen narrowing. A study with intravascular ultrasound in vivo, **483**

intravenous amiodarone, Intravenous amiodarone bolus immediately controls heart rate in patients with atrial fibrillation accompanied by severe congestive heart failure: *letter*, **635**

ischaemia, Repolarisation and refractoriness during early ischaemia in humans, **365**
Ischaemia, action potentials, and refractoriness : *editorial*, **363**

ischaemic heart disease, Hibernating myocardium: *review*, **587**
Interface between valve disease and ischaemic heart disease: *Education*, **347**

isoprostanes, Increased formation of F_2-isoprostanes in patients with severe heart failure: *letter*, **439**

Kimura's disease, Life threatening coronary artery spasm in childhood Kimura's disease, **e5**

large scale clinical trials, Evaluation of large scale clinical trials and their application to usual practice : *Education*, **679**

left bundle branch block, Different effects of abnormal activation and myocardial disease on left ventricular ejection and filling times, **272**

left ventricle, Clinical anatomy of the aortic root: *Education*, **670**

left ventricular dilatation, Diagnosis and management of dilated cardiomyopathy: *Education*, **106**

left ventricular dysfunction, Failure of plasma brain natriuretic peptide to identify left ventricular systolic dysfunction in the community: *letter*, **440**
Left ventricular dysfunction: causes, natural history, and hopes for reversal, **i15**
Reversible left ventricular dysfunction associated with raised troponin I after subarachnoid haemorrhage does not preclude successful heart transplantation, **205**

left ventricular function, Does primary stenting preserve cardiac function in myocardial infarction? A case–control study, **515**
Tissue Doppler imaging: current and potential clinical applications, **ii11**

left ventricular hypertrophy, Renin-angiotensin system mediated mechanisms: cardioreparation and cardioprotection, **i18**

left ventricular performance, Beat to beat left ventricular performance in spontaneous atrial fibrillation does not depend on afterload: *letter*, **89**

left ventricular systolic dysfunction, The diagnosis of heart failure: *Education*, **334**

life threatening ventricular tachyarrhythmia, Successful treatment of aconitine induced life threatening ventricular tachyarrhythmia with amiodarone, **e8**

lipid lowering, Lipid lowering: statins and the future, **i46**

lipoprotein (a), Increased plasma lipoprotein (a) concentrations in Behcet's disease and its relation to vascular events: *letter*, **208**

locally derived risk score, Likely variations in perioperative mortality associated with cardiac surgery: when does high mortality reflect bad practice?, **79**

long axis function, The importance of long axis ventricular function: *editorial*, **577**

lung mechanics, Pulmonary vascular–bronchial interactions: acute reduction in pulmonary blood flow alters lung mechanics, **284**

M mode, The importance of long axis ventricular function: *editorial*, **577**

magnetic resonance imaging, Non-invasive coronary artery imaging with electron beam computed tomography and magnetic resonance imaging: *Education*, **442**
Regional myocardial wall thickening assessed at rest by ECG gated ^{18}F-FDG positron emission tomography and by magnetic resonance imaging: *letter*, **332**

Marfan syndrome, Cardiovascular surgery for Marfan syndrome: *Education*, **674**

markers of heart disease, Fetal and infant markers of adult heart disease: *Education*, **219**

maternal malnutrition, Coronary heart disease after prenatal exposure to the Dutch famine, 1944–45, **595**

mean arterial pressure, Formula and nomogram for the sphygmomanometric calculation of the mean arterial pressure: *letter*, **64**

mechanics, Randomised comparison of the effects of nicardipine and esmolol on coronary artery wall stress: implications for the risk of plaque rupture, **377**

metoprolol, Early changes in longitudinal performance predict future improvement in global left ventricular function during long term β adrenergic blockade, **599**

microalbuminuria, Diabetic nephropathy: evidence for renoprotection and practice, **i26**
RAS blockade: new possibilities in the treatment of complications of diabetes, **i32**

middle cardiac vein, A multifilamented electrode in the middle cardiac vein reduces energy requirements for defibrillation in the pig, **425**

minimal myocardial injury, Acute coronary syndromes: presentation—clinical spectrum and management: *Education*, **93**

Minnesota code, Prevalences of ECG findings in large population based samples of men and women, **625**

Minnesota coding, Minnesota coding and the prevalence of ECG abnormalities: *editorial*, **582**

mitral balloon valvotomy, Significance of commissural calcification on outcome of mitral balloon valvotomy, **398**

mitral valve, Mitral valve replacement in children: mortality, morbidity, and haemodynamic status up to medium term follow up, **636**
Novel expression of VCAM-1 on the mitral valve in a patient with primary antiphospholipid antibody syndrome, **e10**
Three dimensional echocardiography for the assessment of mitral valve disease, **ii7**

mortality data, Cardiac surgical mortality: the tip of the quality assurance iceberg: *editorial*, **7**
Fair comparison of mortality data following cardiac surgery: *editorial*, **5**

multisite electrical stimulation, Multisite stimulation for correction of cardiac asynchrony: *editorial,* **579**
myoblasts, Cellular cardiomyoplasty: a new hope in heart failure?: *editorial,* **465**
myocardial bridging, Long term angiographic and clinical follow up in patients with stent implantation for symptomatic myocardial bridging, **403**
myocardial collagen, Troglitazone decreases collagen accumulation in prediabetic stage of a type II diabetic rat model: *letter,* **209**
myocardial energy metabolism, Hibernating myocardium: *review,* **587**
myocardial infarction, AT_1 receptor antagonists—beyond blood pressure control: possible place in heart failure treatment, **i42**
Contrast enhanced electron beam computed tomography to analyse the coronary arteries in patients after acute myocardial infarction, **489**
Coronary heart disease trends in France and elsewhere: *editorial,* **121**
Delay in calling for help during myocardial infarction: reasons for the delay and subsequent pattern of accessing care, **137**
Failure of thrombolysis by streptokinase: detection with a simple electrocardiographic method, **149**
Heart disease in the elderly: *Education,* **560**
Incidence, recurrence, and case fatality rates for myocardial infarction in southwestern France, 1985 to 1993, **171**
Influence of previous aspirin treatment and smoking on the electrocardiographic manifestations of injury in acute myocardial infarction, **41**
Radiofrequency catheter ablation of ventricular tachycardia: *Education,* **553**
Renin-angiotensin system modulating treatments in the management of cardiovascular disease: *editorial,* **i1**
Secondary prevention: improving outcomes following myocardial infarction, **i5**
The future: cardiovascular medicine in 10 years, **i48**
The impact of time to thrombolytic treatment on outcome in patients with acute myocardial infarction, **142**
When should ACE inhibitors or warfarin be discontinued after myocardial infarction?: *editorial,* **361**
myocardial ischaemia, Does angina vary with the menstrual cycle in women with premenopausal coronary artery disease?, **189**
Exercise induced myocardial ischaemia does not cause increase in C-reactive protein concentration: *letter,* **668**
myocardial perfusion, Radionuclide investigation of congenital heart disease: *editorial,* **467**
myocardial strain, Tissue Doppler imaging: current and potential clinical applications, **ii11**
myocardial wall thickening, Regional myocardial wall thickening assessed at rest by ECG gated ^{18}F-FDG positron emission tomography and by magnetic resonance imaging: *letter,* **332**
myocarditis, Myocarditis mimicking acute myocardial infarction: role of endomyocardial biopsy in the differential diagnosis, **245**
Myocarditis, pericarditis and other pericardial diseases: *Education,* **449**
myosin heavy chains, Apoptosis in the skeletal muscle of patients with heart failure: investigation of clinical and biochemical changes, **431**

National Service Framework for Coronary Heart Disease, Responding to the requirements of the National Service Framework for coronary disease: a core data set for myocardial infarction: *editorial,* **116**
neointima, New recipes for in-stent restenosis: cut, grate, roast, or sandwich the neointima?: *review,* **471**
nitric oxide, Complex stenosis morphology and vasomotor responses to inhibition of nitric oxide synthesis, **529**
nomogram, Formula and nomogram for the sphygmomanometric calculation of the mean arterial pressure: *letter,* **64**
nutrition, Ventricular mass and diastolic function in patients infected by the human immunodeficiency virus, **620**

oestradiol, Does angina vary with the menstrual cycle in women with premenopausal coronary artery disease?, **189**
out of hospital, Circadian variation in witnessed out of hospital cardiac arrest, **370**
outcome, Infective endocarditis: clinical spectrum, presentation and outcome. An analysis of 212 cases 1980–1995, **25**
Mitral valve replacement in children: mortality, morbidity, and haemodynamic status up to medium term follow up, **636**
oxidant stress, Increased formation of F_2-isoprostanes in patients with severe heart failure: *letter,* **439**
oxygen uptake, Oxygen uptake versus exercise intensity: a new concept in assessing cardiovascular exercise function in patients with congenital heart disease, **46**

pacemaker, Different effects of abnormal activation and myocardial disease on left ventricular ejection and filling times, **272**
Parsonnet score, Likely variations in perioperative mortality associated with cardiac surgery: when does high mortality reflect bad practice?, **79**
Limitations of the Parsonnet score for measuring risk stratified mortality in the north west of England, **71**
pentacuspid aortic valve, Pentacuspid aortic valve diagnosed by transoesophageal echocardiography, **e9**
pentoxifylline, Apoptosis: a pivotal event or an epiphenomenon in the pathophysiology of heart failure?: *editorial,* **355**
Reduction in Fas/APO-1 plasma concentrations correlates with improvement in left ventricular function in patients with idiopathic dilated cardiomyopathy treated with pentoxifylline: *letter,* **438**
pericardial diseases, Myocarditis, pericarditis and other pericardial diseases: *Education,* **449**
pericarditis, Myocarditis, pericarditis and other pericardial diseases: *Education,* **449**
Tuberculous pericarditis and HIV infection: *editorial,* **127**
perioperative mortality, Likely variations in perioperative mortality associated with cardiac surgery: when does high mortality reflect bad practice?, **79**
pharmacogenetics;, Pharmacogenetics and the treatment of cardiovascular disease: *editorial,* **353**
pharmacological interventions, Clinical trials in cardiovascular medicine: are we looking for statistical significance or clinical relevance?, **129**
phenotype, Genetics of dilated cardiomyopathy: a molecular maze?: *editorial,* **463**
plaque rupture, Size of emptied plaque cavity following spontaneous rupture is related to coronary dimensions, not to the degree of lumen narrowing. A study with intravascular ultrasound in vivo, **483**
positron emission tomography, Regional myocardial wall thickening assessed at rest by ECG gated ^{18}F-FDG positron emission tomography and by magnetic resonance imaging: *letter,* **332**
postinfarction ischaemia, Health related quality of life after conservative or invasive treatment of inducible postinfarction ischaemia, **535**
postural hypotension, The normal response to prolonged passive head up tilt testing, **509**
prednisolone, Double blind randomised placebo controlled trial of adjunctive prednisolone in the treatment of effusive tuberculous pericarditis in HIV seropositive patients, **183**
preinfarction angina, Does primary stenting preserve cardiac function in myocardial infarction? A case–control study, **515**
primary pulmonary hypertension, Sildenafil as a selective pulmonary vasodilator in childhood primary pulmonary hypertension, **e4**
primary stenting, Does primary stenting preserve cardiac function in myocardial infarction? A case–control study, **515**
progesterone, Does angina vary with the menstrual cycle in women with premenopausal coronary artery disease?, **189**
prognosis, Haemodynamic correlates and prognostic significance of serum uric acid in adult patients with Eisenmenger syndrome, **53**
Prognostic implications of ventricular fibrillation in acute myocardial infarction: new strategies required for further mortality reduction, **258**
prognostic factors, Infective endocarditis: clinical spectrum, presentation and outcome. An analysis of 212 cases 1980–1995, **25**
prostacyclin, Sildenafil as a selective pulmonary vasodilator in childhood primary pulmonary hypertension, **e4**
prosthetic mitral valve, Mitral valve replacement in children: mortality, morbidity, and haemodynamic status up to medium term follow up, **636**
Quality of life in children following mitral valve replacement, **643**
prosthetic valve replacement, Pressure damping, a "billowing" septum, and an eerie silence: perioperative, intermittent obstruction of a mitral valve prosthesis, **e6**
P-selectin, Polymorphisms of the P-selectin gene and risk of myocardial infarction in men and women in the ECTIM extension study, **548**
pulmonary atresia, Natural and unnatural history of pulmonary atresia, **499**
pulmonary blood flow, Pulmonary vascular–bronchial interactions: acute reduction in pulmonary blood flow alters lung mechanics, **284**
pulmonary hypertension, Adrenomedullin in the treatment of pulmonary hypertension: *editorial,* **575**
Haemodynamic and hormonal effects of adrenomedullin in patients with pulmonary hypertension, **653**
pulmonary perfusion, Radionuclide investigation of congenital heart disease: *editorial,* **467**
pulmonary regurgitation, Relation between right ventricular enlargement, QRS duration, and right ventricular function in patients with tetralogy of Fallot and pulmonary regurgitation after surgical repair, **416**

QRS prolongation, Relation between right ventricular enlargement, QRS duration, and right ventricular function in patients with tetralogy of Fallot and pulmonary regurgitation after surgical repair, **416**
QT dispersion, Time dependent variability of QT dispersion after acute myocardial infarction and its relation to ventricular fibrillation: a prospective study, **504**

QT interval, The pause that refreshes, or does it? Mechanisms in torsades de pointes: *editorial,* **235**
QT prolongation, Antiarrhythmic drugs: from mechanisms to clinical practice: *Education,* **339**
quality control, Cardiac surgical mortality: the tip of the quality assurance iceberg: *editorial,* **7**
Fair comparison of mortality data following cardiac surgery: *editorial,* **5**
quality of life, A comparison of four quality of life instruments in cardiac patients: SF-36, QLI, QLMI, and SEIQoL, **390**
Biventricular pacing in patients with severe heart failure:: *editorial,* **123**
Natural and unnatural history of pulmonary atresia, **499**
Quality of life in children following mitral valve replacement, **643**
quantitative angiography, Influence of a history of smoking on short term (six month) clinical and angiographic outcome after successful coronary angioplasty, **299**
Intracoronary infusions and the assessment of coronary blood flow in clinical studies: *editorial,* **118**

radiofrequency catheter ablation, Radiofrequency catheter ablation of ventricular tachycardia: *Education,* **553**
radionuclide imaging, Radionuclide investigation of congenital heart disease: *editorial,* **467**
radionuclide ventriculography, Late arrhythmia in adults with the Mustard procedure for transposition of great arteries: a surrogate marker for right ventricular dysfunction?, **409**
refractoriness, Repolarisation and refractoriness during early ischaemia in humans, **365**
Ischaemia, action potentials, and refractoriness : *editorial,* **363**
remodelling, Coronary artery compliance and adaptive vessel remodelling in patients with stable and unstable coronary artery disease, **314**
Glagovian remodelling, plaque composition, and stenosis generation: *editorial,* **461**
Size of emptied plaque cavity following spontaneous rupture is related to coronary dimensions, not to the degree of lumen narrowing. A study with intravascular ultrasound in vivo, **483**
renin-angiotensin system, Angiotensin converting enzyme inhibition: from viper to patient, **i11**
AT_1 receptor antagonists—beyond blood pressure control: possible place in heart failure treatment, **i42**
Discussion, **i50**
Endothelial dysfunction: the role and impact of the renin-angiotensin system, **i20**
Modulation of the renin-angiotensin system and retinopathy, **i29**
Renin-angiotensin system mediated mechanisms: cardioreparation and cardioprotection, **i18**
Renin-angiotensin system modulating treatments in the management of cardiovascular disease: *editorial,* **i1**
reperfusion indices, Angiographic assessment of prospectively determined non-invasive reperfusion indices in acute myocardial infarction, **164**
repolarisation, Repolarisation and refractoriness during early ischaemia in humans, **365**
Ischaemia, action potentials, and refractoriness : *editorial,* **363**
rescue angioplasty, Failure of thrombolysis: experience with a policy of early angiography and rescue angioplasty for electrocardiographic evidence of failed thrombolysis, **197**
restenosis, Clinical and angiographic outcome in patients with in-stent restenosis and repeat target lesion revascularisation in small coronary arteries, **307**
Does smoking cessation reduce the risk of restenosis following coronary angioplasty?: *editorial,* **233**
Influence of a history of smoking on short term (six month) clinical and angiographic outcome after successful coronary angioplasty, **299**
Interleukin 6 expression in coronary circulation after coronary angioplasty as a risk factor for restenosis, **83**
Long term angiographic and clinical follow up in patients with stent implantation for symptomatic myocardial bridging, **403**
New recipes for in-stent restenosis: cut, grate, roast, or sandwich the neointima?: *review,* **471**
Stent magic! The genie has escaped from the bottle: *editorial,* **469**
retinopathy, Modulation of the renin-angiotensin system and retinopathy, **i29**
right ventricular enlargement, Relation between right ventricular enlargement, QRS duration, and right ventricular function in patients with tetralogy of Fallot and pulmonary regurgitation after surgical repair, **416**
risk factors, Coronary heart disease incidence in northern and southern European populations: a reanalysis of the seven countries study for a European coronary risk chart, **238**
Significant association of cagA positive *Helicobacter pylori* strains with risk of premature myocardial infarction, **267**
Thyroid disease and the heart: *Education,* **455**
risk stratification, Limitations of the Parsonnet score for measuring risk stratified mortality in the north west of England, **71**
second generation contrast agent, Safety of an intravenous second generation contrast agent in patients with severe left ventricular dysfunction: *letter,* **634**
sedation, A survey of sedation and monitoring practices during transoesophageal echocardiography in the UK: are recommended guidelines being followed?: *letter,* **ii19**
short form 36, A comparison of four quality of life instruments in cardiac patients: SF-36, QLI, QLMI, and SEIQoL, **390**
Health related quality of life after conservative or invasive treatment of inducible postinfarction ischaemia, **535**
Sicilian Gambit, Antiarrhythmics—from cell to clinic: past, present, and future: *review,* **14**
sildenafil, Sildenafil as a selective pulmonary vasodilator in childhood primary pulmonary hypertension, **e4**
Singh-Hauswirth Harrison-Vaughan Williams classification, Antiarrhythmics—from cell to clinic: past, present, and future: *review,* **14**
small vessel disease, Hypertrophic cardiomyopathy: the interrelation of disarray, fibrosis, and small vessel disease, **476**
small vessels, Clinical and angiographic outcome in patients with in-stent restenosis and repeat target lesion revascularisation in small coronary arteries, **307**
smoking, Influence of a history of smoking on short term (six month) clinical and angiographic outcome after successful coronary angioplasty, **299**
Influence of previous aspirin treatment and smoking on the electrocardiographic manifestations of injury in acute myocardial infarction, **41**
smoking cessation, Does smoking cessation reduce the risk of restenosis following coronary angioplasty?: *editorial,* **233**
Sonovue, Safety of an intravenous second generation contrast agent in patients with severe left ventricular dysfunction: *letter,* **634**
sotalol, Low dose amiodarone and sotalol in the treatment of recurrent, symptomatic atrial fibrillation:, **251**
spontaneous atrial fibrillation, Beat to beat left ventricular performance in spontaneous atrial fibrillation does not depend on afterload: *letter,* **89**
spontaneous coronary artery dissection, A young woman with chest pain, **e12**
Stamps in cardiology, Congresses, **234**
Congresses, **360**
Congresses, **576**
Hypertension, **2**
Institutions, **115**
Institutions, **462**
statins, Lipid lowering: statins and the future, **i46**
Secondary prevention of hypercholesterolaemia: results of an audit conducted in South Wales, **e3**
statistics, Clinical trials in cardiovascular medicine: are we looking for statistical significance or clinical relevance?, **129**
stenosis morphology, Complex stenosis morphology and vasomotor responses to inhibition of nitric oxide synthesis, **529**
stents, Is provisional stenting the effective option? The WIDEST study (Wiktor stent in de novo stenosis), **522**
Long term angiographic and clinical follow up in patients with stent implantation for symptomatic myocardial bridging, **403**
New recipes for in-stent restenosis: cut, grate, roast, or sandwich the neointima?: *review,* **471**
Stent magic! The genie has escaped from the bottle: *editorial,* **469**
Stent treatment for coarctation of the aorta: intermediate term follow up and technical considerations, **65**
Treatment options for coarctation of the aorta: *editorial,* **11**
streptokinase, Failure of thrombolysis by streptokinase: detection with a simple electrocardiographic method, **149**
sudden death, Brugada syndrome: an electrocardiographic diagnosis not to be missed: *editorial,* **1**
Natural and unnatural history of pulmonary atresia, **499**
Prevalence of the Brugada sign in idiopathic ventricular fibrillation and healthy controls, **31**
Radiofrequency ablation of haemodynamically unstable ventricular tachycardia after myocardial infarction, **648**
supraventricular tachycardia, Exercise induced supraventricular tachycardia?, **e11**
syncope, The normal response to prolonged passive head up tilt testing, **509**

tachycardia, Radiofrequency ablation of haemodynamically unstable ventricular tachycardia after myocardial infarction, **648**
tetralogy of Fallot, Relation between right ventricular enlargement, QRS duration, and right ventricular function in patients with tetralogy of Fallot and pulmonary regurgitation after surgical repair, **416**
thoracic aortic aneurysm, Clinical and patho-anatomical factors affecting expansion of thoracic aortic aneurysms, **277**
three dimensional echocardiography, Three dimensional colour Doppler echocardiography for the characterisation and quantification of cardiac flow events, **ii2**
Three dimensional echocardiography for the assessment of mitral valve disease, **ii7**

thrombolysis, Changing the site of delivery of thrombolytic treatment for acute myocardial infarction from the coronary care unit to the emergency department greatly reduces door to needle time, **157**
Failure of thrombolysis by streptokinase: detection with a simple electrocardiographic method, **149**
Improving door to needle times with nurse initiated thrombolysis, **262**
Moving cardiology to the front of the hospital: *editorial*, **573**
Myocardial stunning after streptokinase: what is the significance of the Q wave?, **1**
The impact of time to thrombolytic treatment on outcome in patients with acute myocardial infarction, **142**
thrombolytic treatment, Identifying failure to achieve complete (TIMI 3) reperfusion following thrombolytic treatment: how to do it, when to do it, and why it's worth doing: *editorial*, **113**
thrombosis, Multivessel coronary thrombosis, acute myocardial infarction, and no reflow in a patient with essential thrombocythaemia, **1**
thyroid disease, Thyroid disease and the heart: *Education*, **455**
TIMI scoring system, Identifying failure to achieve complete (TIMI 3) reperfusion following thrombolytic treatment: how to do it, when to do it, and why it's worth doing: *editorial*, **113**
timing of surgery, Timing of aortic valve surgery: *Education*, **211**
tissue velocity imaging, Tissue Doppler imaging: current and potential clinical applications, **ii11**
torsades de pointes, Antiarrhythmic drugs: from mechanisms to clinical practice: *Education*, **339**
transcatheter closure, A novel method for transcatheter closure of atrial septal defect within an aneurysm of the fossa ovalis: double sheath technique, **e14**
transcatheter device, Morphology of perforated atrial septal aneurysm suitable for closure by transcatheter device placement, **327**
transoesophageal echocardiography, A survey of sedation and monitoring practices during transoesophageal echocardiography in the UK: are recommended guidelines being followed?: *letter*, **ii19**
Role of transoesophageal echocardiography in infective endocarditis: *editorial*, **3**
transplantation, Cellular cardiomyoplasty: a new hope in heart failure?: *editorial*, **465**
transposition of great vessels, Late arrhythmia in adults with the Mustard procedure for transposition of great arteries: a surrogate marker for right ventricular dysfunction?, **409**
treatment delay, Changing the site of delivery of thrombolytic treatment for acute myocardial infarction from the coronary care unit to the emergency department greatly reduces door to needle time, **157**
Delay in calling for help during myocardial infarction: reasons for the delay and subsequent pattern of accessing care, **137**
troglitazone, Troglitazone decreases collagen accumulation in prediabetic stage of a type II diabetic rat model: *letter*, **209**
troponin I, Reversible left ventricular dysfunction associated with raised troponin I after subarachnoid haemorrhage does not preclude successful heart transplantation, **205**
tuberculosis, Tuberculous pericarditis and HIV infection: *editorial*, **127**
tuberculous pericarditis, Double blind randomised placebo controlled trial of adjunctive prednisolone in the treatment of effusive tuberculous pericarditis in HIV seropositive patients, **183**
tumour necrosis factor α, Apoptosis: a pivotal event or an epiphenomenon in the pathophysiology of heart failure?: *editorial*, **355**
type II diabetic rat model, Troglitazone decreases collagen accumulation in prediabetic stage of a type II diabetic rat model: *letter*, **209**

ultrasonic scanning, Size of emptied plaque cavity following spontaneous rupture is related to coronary dimensions, not to the degree of lumen narrowing. A study with intravascular ultrasound in vivo, **483**
understanding illness, Illness understanding in children and adolescents with heart disease, **395**
unstable angina, Acute coronary syndromes: presentation—clinical spectrum and management: *Education*, **93**
uric acid, Haemodynamic correlates and prognostic significance of serum uric acid in adult patients with Eisenmenger syndrome, **53**

valve disease, Anticoagulation in valvar heart disease: new aspects and management during non-cardiac surgery: *Education*, **567**
Interface between valve disease and ischaemic heart disease: *Education*, **347**
variable life adjusted display, Likely variations in perioperative mortality associated with cardiac surgery: when does high mortality reflect bad practice?, **79**
vasospastic angina, Coronary artery spasm induced by carotid sinus massage, **e2**
VCAM-1, Novel expression of VCAM-1 on the mitral valve in a patient with primary antiphospholipid antibody syndrome, **e10**
ventricular defibrillation, A multifilamented electrode in the middle cardiac vein reduces energy requirements for defibrillation in the pig, **425**
ventricular fibrillation, Prevalence of the Brugada sign in idiopathic ventricular fibrillation and healthy controls, **31**
Prognostic implications of ventricular fibrillation in acute myocardial infarction: new strategies required for further mortality reduction, **258**
Time dependent variability of QT dispersion after acute myocardial infarction and its relation to ventricular fibrillation: a prospective study, **504**
ventricular pressure, Intracardiac pressures in the human fetus, **59**
ventricular tachyarrhythmia, Life threatening coronary artery spasm in childhood Kimura's disease, **e5**
ventricular tachycardia, Capture and fusion beats during atrial fibrillation and ventricular tachycardia, **e1**
Catheter ablation of ventricular tachycardia: are there limits?: *editorial*, **585**
Radiofrequency catheter ablation of ventricular tachycardia: *Education*, **553**
vimentin, Changes in myocardial cytoskeletal intermediate filaments and myocyte contractile dysfunction in dilated cardiomyopathy: an in vivo study in humans, **659**

warfarin, When should ACE inhibitors or warfarin be discontinued after myocardial infarction?: *editorial*, **361**
Williams syndrome, Mechanical properties of the common carotid artery in Williams syndrome, **290**